

| <u>Part no</u> | <u>Oem</u> | <u>Descrpition</u> | <u>Size</u> | <u>Bevel</u> | <u>Teeth</u> |
|----------------|---------------------|--------------------|-------------------|--------------|--------------|
| C0025P001 | | perforator | 25.4x12.7x4.2mm | D | 12 |
| C0027B001 | Bestrom | knife | 27x26x6.5mm | S | |
| C0030M001 | Mather & Platt | slicer | 30x12x1.2mm | D | |
| C0030P001 | Pizza cutter | slicer | 30x12x1.5mm | D | |
| C0032R001 | Rotometrics | slitter | 32.1x15.86x5.15mm | D | |
| C0032R002 | Rotometrics | perforator | 32.1x15.86x5.15mm | D | 27 |
| C0034C001 | | slitter | 34x10x2.2mm | S | |
| C0034C001 | | slitter | 34x10x2.2mm | S | |
| C0040A001 | ABL | bell peeler | 40mm dia | D | |
| C0040V001 | Volpak | slitter | 40x22x15mm | D | |
| C0045C001 | | slitter | 45x10x0.5mm | D | |
| C0046F001 | Flexor | anvil | 46x25x10mm | S | |
| C0047J001 | Jarvis | vent | 47.4x70.5mm | S | |
| C0048C001 | | slitter | 48x24x1.2mm | D | |
| C0048S001 | Stahl | split slitter | 48x30x0.5mm | S | |
| C0050A001 | AB Graphic/Daco | anvil | 50x30x10/9.3mm | S | |
| C0050A002 | AB Graphic/Daco | anvil | 50x25x10/9.3mm | S | |
| C0050A003 | AB Graphic/Daco | anvil | 50x30x10/9.3mm | S | |
| C0050A004 | AB Graphic | anvil | 50x25x10/9.3mm | S | |
| C0050A005 | Aranow | slitter | 50x19x3mm | D | |
| C0050A006 | | slitter | 50x22xmm | D | |
| C0050A007 | Appleton | core cutter | 50.8x6.35x1.59mm | D | |
| C0050ASCR | AB Graphic/Daco/Ash | screw | M5x8mm | | grub screw |
| C0050C001 | Volpak | slitter | 50x19x5.2mm | D | |
| C0050C002 | | slitter | 50x19x5.2mm | D | |
| C0050C003 | | slitter | 50x19x6.0mm | D | |
| C0050C004 | | slitter | 50x19x6.35mm | D | |
| C0050C005 | | slitter | 50x19x5.2mm | D | |
| C0050C006 | | slitter | 50x19x6.3mm | D | |
| C0050C007 | | slitter | 50x19x6.3mm | D | |
| C0050C008 | | slitter | 50x19x6.0mm | D | |
| C0050C009 | | slitter | 50x19x6.4mm | D | |
| C0050P001 | | slitter | 50x10x1.3mm | D | |
| C0050S001 | Speedex | slitter | 50x8x11mm | D | |
| C0050V001 | Volpak | perforator | 50x24x13.1mm | D | 30 slots x 2 |
| C0051C001 | | slitter | 51x16.5x1mm | D | |
| C0051C001 | | slitter | 51x16.5x1mm | D | |
| C0051E001 | Emplex | slicer | 51x8x1.5mm | D | |
| C0052C001 | | slitter | 52x15x12mm | S | sq keyway |
| C0052P001 | | slitter | 52x25x4mm | D | |
| C0053I001 | IMA | perf anvil | 53x8x6mm | D | 8 edge slots |
| C0054T001 | Tekkra Systems | perforator | 54x19.46x1.5mm | S | 30 v teeth |
| C0055C001 | | slitter | 55x16.5x1mm | D | |
| C0055C001 | | slitter | 55x16.5x1mm | D | |
| C0055I001 | IMA | knife | 55x6x24/2/0.5mm | S | step thks to |
| C0055I002 | Ilapak | slitter | 55x50x20mm | D | |
| C0056C001 | | slitter | 56.5x41.3x0.3mm | S | |
| C0056S001 | | slicer | 56.2x16.2x0.5mm | | 13 teeth |
| C0058B001 | Bosch | split perf | 58x33x1mm | D | 12 teeth |
| C0058B001 | Bosch | split perf | 58x33x1mm | D | 12 teeth |
| C0058B001T | Bosch | split perf | 58x33x1mm | D | 12 teeth |
| C0059M001 | Marel | slicer | 59x22x4mm | S | |

| | | | | | |
|------------|--|------------------|----------------------|----|--------------|
| C0060A001 | Ashe | anvil | 60x30x20mm | S | |
| C0060A002 | Ashe | anvil | 60x30x20mm | S | |
| C0060C001 | | slitter | 60x16.5x1mm | D | |
| C0060C001 | | slitter | 60x16.5x1mm | D | |
| C0060K001 | | slicer | 60x15.9x1mm | S | |
| C0060M001 | Marel | slicer | 60x11x1mm | D | |
| C0060M002 | MBO/Stahl/Herzog H | split slitter | 60x40x0.5mm | S | 80 teeth |
| C0060M002 | MBO/Stahl/Herzog H | split slitter | 60x40x0.5mm | S | 80 teeth |
| C0060M002 | MBO/Stahl/Herzog H | split slitter | 60x40x0.5mm | S | 80 teeth |
| C0060M002 | MBO/Stahl/Herzog H | split slitter | 60x40x0.5mm | S | 80 teeth |
| C0060P001 | | perforator | 60x32x1.5mm | D | 84 teeth bc |
| C0060P001 | | perforator | 60x32x1.5mm | D | 84 teeth bc |
| C0060V001 | Volpak | perforator | 60x24x13mm | D | 32slots x1.7 |
| C0061M001 | MBO/Stahl | slitter | 61.5x40x0.8mm | S | |
| C0061M002 | MBO/Stahl | split slitter | 61.5x40x0.5mm | S | |
| C0061C001 | | core cutter | 61.5x12x3mm | D | |
| C0062A001 | AB Graphic/Daco/Gal | dished | 62x40x1.2mm | S | |
| C0062A002 | AB Graphic | anvil | 62x30x14/10mm | D | double side |
| C0062A002A | AB Graphic | anvil | 62x30x14/10mm | D | double side |
| C0062A003 | AB Graphic | anvil | 62x30x14/10mm | D | double side |
| C0062A004 | AB Graphic | anvil | 62x30x10/8mm | D | double side |
| C0062A005 | AB Graphic | anvil | 62x25x10/8mm | D | double side |
| C0062A006 | AB Graphic | anvil | 62x25x14/10mm | D | double side |
| C0062A007 | AB Graphic/Daco/Gal | dished | 62x40x1.2mm | S | |
| C0062ACIR | AB Graphic/Daco | circlip | 43.5x37.9x0.6mm | | wound 2x |
| C0062ACIR1 | AB Graphic/Daco | circlip | mm | | 2p/hs |
| C0062AHOL | AB Graphic/Daco | holder | 50/40x30x12.5mm | | holder only |
| C0062AHOL | AB Graphic/Daco | holder | 50/40x30x12.5mm | | c/w spring/ |
| C0062AHOL1 | AB Graphic/Daco | holder | 50/40x30x15mm | | holder only |
| C0062AHOLS | AB Graphic/Daco | holder | 50/40x25x12.5mm | | holder only |
| C0062AHOLS | AB Graphic/Daco | holder | 50/40x25x12.5mm | | c/w spring/ |
| C0062ASCR1 | AB Graphic/Daco/Ash | screw | M6x12mm | | allen screw |
| C0062ASCR2 | AB Graphic/Daco/Ash | screw | M5x12mm | | allen screw |
| C0062ASCR3 | AB Graphic/Daco/Ash | screw | M4x6mm | | allen screw |
| C0062ASCR4 | AB Graphic/Daco/Ash | screw | M5x8mm | | allen screw |
| C0062ASPR | AB Graphic/Daco/Ash | spring | 137x3.2 x wire .46mm | | suit C0062A |
| C0062ASPR1 | AB Graphic/Daco/Ash | spring | 135x3.2 x wire .51mm | | suit C0062A |
| C0062ASPR2 | AB Graphic/Daco/Ashe/Bar Graphic/Flexor/ | | 128x3.1 x wire .51mm | | suit C0062A |
| C0062M001 | MBO/Stahl | split perf | 62x40x0.5mm | S | 12 edge slo |
| C0063D001 | Sig Doboy | slitter | 63.5x34.92x3.175mm | | |
| C0063D002 | Sig Doboy | slitter | 63.5x34.92x3.175mm | | |
| C0063D003 | Sig Doboy | slitter | 63.5x34.92x3.175mm | | |
| C0063J001 | Jagenberg Diana | split perforator | 63.1x35.1x0.4mm | | 275 teeth |
| C0064A001 | Arpeco | top flat | 64.8x38.6x3.2mm | S | |
| C0064A002 | Arpeco/Bar | anvil | 64.8x38.6x3.2mm | SQ | |
| C0064A003 | AB Graphic/Daco | dished | 64.3x40x1.2mm | S | |
| C0064A004 | AB Graphic/Daco | dished | 64.3x40x1.2mm | S | |
| C0064A005 | AB Graphic/Daco | dished | 64.3x40x1.2mm | D | |
| C0064B001 | Bar Graphic | anvil | 64.3x31.8x12.7mm | D | double side |
| C0064B001 | Bar Graphic | anvil | 64.3x31.8x12.7mm | D | double side |
| C0064C001 | | slitter | 64x32x2mm | S | |
| C0064M001 | Mark Andy | anvil | 64.5x31.75x11/10.3mm | D | |
| C0065B001 | Bar Graphic/Flexor/R | dished | 65x40x1.0mm | S | |
| C0065BHOL | Bar Graphic | holder | 50/40x31.75x16.5mm | | |

| | | | | | |
|------------|----------------------|-------------|----------------------|----|-----------------|
| C0065BSPR | Bar Graphic/Flexor/R | spring | 122x3.2 x wire .46mm | | |
| C0065D001 | | dished | 65x45x1.2mm | D | |
| C0065K001 | Riteprice/Easycut/Do | slicer | 65x12x1mm | S | |
| C0065K002 | Riteprice/Easycut/Do | slicer | 65x12x1mm | S | 29 |
| C0065K003 | Riteprice/Easycut/Do | slicer | 65x12x1mm | S | |
| C0065KCAD | Donexe/Gyrox | cable | 65mm | | |
| C0065KCAE | Easycut | cable | 65mm | | |
| C0065KEAS | Easycut | slicing m/c | 65mm | | |
| C0065V001 | Variovac/PS SystemP | slitter | 65x1mm | D | |
| C0066R001 | Rotometrics | dished | 66x40x1.0mm | S | |
| C0068A001 | AB Graphic/Bar Grapl | dished | 68x40x1.2mm | S | |
| C0070A001 | ABL | bell peeler | 70mm dia | D | |
| C0070A001T | ABL | bell peeler | 70mm dia | D | |
| C0070B001 | | anvil | 70x45x10mm | S | |
| C0070E001 | Extruford | scorer | 70x41x1mm | D | 4 edge slots |
| C0070M001 | Merkle | slitter | 70x40x1mm | D | 8mm d.bev |
| C0070M002 | Merkle | slitter | 70x40x1mm | D | 5mm d.bev |
| C0070S001 | Sotemapack | slitter | 70x35x3.5mm | D | |
| C0071D001 | | dished | 71x38.2x2mm | S | |
| C0072D001 | | dished | 72x50x0.8mm | S | |
| C0072D002 | | dished | 72x38.2x2mm | S | |
| C0072D003 | | dished | 72x45x1.25mm | S | |
| C0072M001 | Multivac | anvil | 72x40x28mm | Sq | 8mm groove |
| C0073M001 | Multivac | anvil | 72x35x25mm | Sq | 2x8mm groove |
| C0074P001 | | perforator | 74x16x10/2.4mm | D | 93 edge slots |
| C0075A001 | Ashe | dished | 75x45x1.0mm | D | |
| C0075A002 | Ashe | dished | 75x45x1.2mm | S | |
| C0075A003 | Ashe | dished | 75x40x1.0mm | D | |
| C0075A004 | Ashe | dished | 75x40x1.2mm | S | |
| C0075A005 | Ashe? | dished | 75x50x1.0mm | S | |
| C0075A006 | Ashe? | dished | 75x50x1.0mm | D | |
| C0075A007 | Ashe? | dished | 75x50x1.2mm | S | |
| C0075A008 | Ashe? | dished | 75x50x1.2mm | D | |
| C0075A009 | Ashe | dished | 75x45x1.2mm | D | |
| C0075ACIR | Ashe | circlip | 49.6x43.6x0.6mm | | wound 2x |
| C0075ACIR1 | Ashe | circlip | 48.6x42.6x0.6mm | | wound 2x |
| C0075C001 | | crush | 75x38x13/2mm | D | Boss one side |
| C0075C002 | | knife | 75x40x1mm | S | |
| C0075F001 | Finis ? | slicer | 75x32x0.7mm | S | 88 edge slots |
| C0075H001 | Hobart Steakmaster | slicer | 75x16x1mm | D | |
| C0075H001 | Hobart Steakmaster | slicer | 75x16x1.2mm | D | |
| C0075H001 | Hobart Steakmaster | slicer | 75x16x1.2mm | D | |
| C0075K001 | | slicer | 75x13x1mm | S | |
| C0075M001 | Multivac | slitter | 75x45x0.6mm | S | keyway |
| C0075P001 | | perforator | 75x38x13/2mm | D | 50TPI Boss |
| C0076A001 | Atlas Hurley Moate | slitter | 76.2x25.4x1.59mm | D | keyway |
| C0076R001 | Rems | slitter | 76x12?x0.75mm | D | polished flange |
| C0076W001 | | wavy edge | 76.5x22x6mm | D | 10mm pitch |
| C0077B001 | | anvil | 77x45x10mm | S | |
| C0077B002 | | anvil | 77x60x10mm | S | |
| C0077B003 | | anvil | 77x40x20mm | S | |
| C0077B004 | Ovens | anvil | 77x45x10/8mm | S | 6 indents |
| C0077B005 | Titan | anvil | 77x45x15/13mm | S | 6 indents |
| C0077B006 | Titan | anvil | 77x45x20/18mm | S | |

| | | | | | |
|------------|-----------------------|------------|----------------|---|--------------|
| C0077CAIR1 | Air Holder | | (77x19x6.35mm) | | c/w connec |
| C0077CAIR2 | Air Holder | | (77x19x6.35mm) | | c/w connec |
| C0077CAIR3 | Dusenbery Air Holder | | (77x19x6.18mm) | | c/w connec |
| C0077C001 | Mark Andy/Focus/Au | crush | 77x22x6.2mm | D | |
| C0077C002 | Crush cutter | crush | 77x19x6.35mm | D | |
| C0077C003 | Crush cutter | crush | 77x19x6.35mm | D | |
| C0077C004 | Mark Andy/Focus/Au | crush | 77x22x6.2mm | D | |
| C0077C005 | Mark Andy/Focus/Au | crush | 77x22x6.2mm | D | |
| C0077C006 | Crush cutter | crush | 77x19x6.35mm | D | |
| C0077C007 | Crush cutter | crush | 77x22x6mm | D | |
| C0077C009 | Crush cutter | crush | 77x19x6mm | D | |
| C0077C010 | | crush | 77x19x6.31mm | D | |
| C0077C011 | Crush cutter | crush | 77x19x6.35mm | D | |
| C0077C012 | Crush cutter | crush | 77x19x6.35mm | D | |
| C0077D001 | Dusenbery | crush | 77x19x6.2mm | D | |
| C0077D002 | Dusenbery | crush | 77x19x6.2mm | D | |
| C0077D003 | Dusenbery | crush | 77x22x6.2mm | D | |
| C0077D004 | Dusenbery | crush | 77x22x6.2mm | D | |
| C0077D005 | Dusenbery | crush | 77x19x6.2mm | D | |
| C0077I001 | Ilapak | slitter | 77x30x15/2.5mm | D | |
| C0077M001 | Multivac/Collimatic/C | crush | 77x19x5.2mm | D | |
| C0077M001A | Multivac/Collimatic | crush | 77x19x5.2mm | D | c/w pin +be |
| C0077M001B | Multivac/Collimatic | crush | 77x19x5.2mm | D | |
| C0077M001C | Multivac/Collimatic/C | crush | 77x19x5.2mm | D | |
| C0077M002 | Multivac/Dusenbery | crush | 77x19x5.2mm | D | 27219 |
| C0077M003 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 24slots x0.7 |
| C0077M004 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 46slots x1.1 |
| C0077M005 | Multivac/Bossar | perforator | 77x19x5.2mm | D | 100slots x1 |
| C0077M006 | Multivac/Collimatic | perforator | 77x19x5.2mm | D | 36slots x1m |
| C0077M007 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 12slots x m |
| C0077M008 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 24slots x1m |
| C0077M009 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 24slots x1m |
| C0077M010 | Multivac | crush | 77x19x5.2mm | D | |
| C0077M011 | Multivac | crush | 77x19x5.2mm | D | |
| C0077M011T | | | | | |
| C0077M012 | Multivac | perfs | 77x19x5.2mm | D | 24slots x0.7 |
| C0077M013 | Multivac | crush | 77x19x5.2mm | D | |
| C0077M013 | Multivac | crush | 77x19x5.2mm | D | |
| C0077M014 | Multivac | crush | 77x19x5.2mm | D | |
| C0077M014 | Multivac | crush | 77x19x5.2mm | D | |
| C0077M014A | Multivac | crush | 77x19x5.2mm | D | |
| C0077M015 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 44slots x2m |
| C0077M016 | Multivac/Collimatic | crush | 77x19x5.2mm | D | |
| C0077M016 | Multivac/Collimatic | crush | 77x19x5.2mm | D | |
| C0077M017 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 44slots x2m |
| C0077M017 | Multivac/Collimatic | perfs | 77x19x5.2mm | D | 44slots x2m |
| C0077M018 | | slitter | 77x19x1mm | D | 8mm d.bev |
| C0077MBEA | Multivac/Collimatic | bearing | 19mm x 5.2mm | | |
| C0077MPIN | Multivac/Collimatic | pin | 7.3mm x 5.2mm | | |
| C0077P001 | Pirati | anvil | 77x45x10mm | S | |
| C0077P002 | | perforator | 77x19x6.3mm | D | 120slots x1 |
| C0077P003 | | perforator | 77x22x6.18mm | D | 120slots x1 |
| C0077P004 | | perforator | 77x19x6.3mm | D | 242slots x.3 |
| C0077P005 | | perforator | 77x22x6.18mm | D | 70slots x1m |

| | | | | | |
|---------------|----------------------|------------|----------------|----|---------------|
| C0077P006 | | perforator | 77x19x6.3mm | D | 60slots x1m |
| C0077P007 | | perforator | 77x22x6mm | D | 50TPI |
| C0077P008 | | perforator | 77x22x6.2mm | D | 50TPI |
| C0077P009 | | perforator | 77x19x6.31mm | D | 18slots x1m |
| C0077T001 | CFS/GEA Tiromat | perforator | 77x19x6.35mm | D | 64slots x 1r |
| C0077T002 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077T003 | CFS/GEA Tiromat | perforator | 77x24x5.0mm | D | 8 edge slots |
| C0077T004 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077T005 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077T005 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077T006 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077T006 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077T007 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077T008 | CFS/GEA Tiromat | crush | 77x24x5.0mm | D | |
| C0077TBEA | | bearing | 24x15x5mm | | |
| C0079B001 | Bosch | top flat | 79x21.5x5mm | S | 3p/hs, 1p/h |
| C0079B002 | Bosch | anvil | 79x30x5.25mm | S | 1p/h |
| C0079I001 | Ilapak | slitter | 79x30x15/2.5mm | D | |
| C0079K001 | Riteprice/Easycut/Do | slicer | 80x12x1mm | S | |
| C0080B001 | | anvil | 80x60x10mm | S | |
| C0080C001 | | knife | 80x20x1mm | D | |
| C0080C002 | Canosign | slicer | 80x13x2mm | S | polish finish |
| C0080C002 | Canosign | slicer | 80x13x2mm | S | polish finish |
| C0080C003 | | knife | 80x15x2mm | Sq | 18 |
| C0080C004 | Cryovac | anvil | 80x60x2mm | Sq | |
| C0080C004 | Cryovac | anvil | 80x60x2mm | Sq | |
| C0080C005 | Cryovac | anvil | 80x60x20mm | S | |
| C0080C005 | Cryovac | anvil | 80x60x20mm | S | |
| C0080C006 | Cryovac | spacer | 80x60x2mm | | |
| C0080K001 | Gurden/Archway/Cey | slicer | 80x13x1.6mm | S | |
| C0080K001A | Potis/Latek/Gurden/A | slicer | 80x13x1.6mm | S | |
| C0080K001B | Gurden/Archway/Cey | slicer | 80x13x1.6mm | S | bevel opp s |
| C0080K001C | Potis | slicer | 80x13x1.6mm | S | |
| C0080K001D | Potis/Gurden/Ceylan, | slicer | 80x13x1.6mm | S | |
| C0080K001P | Potis/Gurden/Archwa | slicer | 80x13x1.6mm | S | Oem smoo |
| C0080K001PS | Potis/Gurden/Archwa | slicer | 80x13x1.6mm | S | Oem satin |
| C0080K002 | Gurden/Archway/Cey | slicer | 80x13x1.6mm | S | 36 |
| C0080K002A | Potis/Latek/Gurden/A | slicer | 80x13x1.6mm | S | 36 |
| C0080K002Anev | Potis/Latek/Gurden/A | slicer | 80x13x1.6mm | S | 36 |
| C0080K002C | Potis | slicer | 80x13x1.6mm | S | 36 |
| C0080K002D | Potis/Gurden/Ceylan, | slicer | 80x13x1.6mm | S | 36 |
| C0080K002P | Potis/Latek/Gurden/A | slicer | 80x13x1.6mm | S | 36 |
| C0080K002PS | Potis/Latek/Gurden/A | slicer | 80x13x1.6mm | S | 36 Oem sat |
| C0080K003 | Topline | slicer | 80x13x1mm | S | |
| C0080K004 | Potis/Latek/Gurden/A | slicer | 80x13x1.6mm | S | 6 V notches |
| C0080K005 | Easycut/Donexe/Enig | slicer | 80x12x1mm | S | |
| C0080K005A | Donexe | slicer | 80x12x1mm | S | |
| C0080K006 | Riteprice/Easycut/Do | slicer | 80x12x1mm | S | 36 |
| C0080K007 | Riteprice/Easycut/Do | slicer | 80x12x1mm | S | 10 edge slo |
| C0080K008 | Rotocut | slicer | 80x | S | |
| C0080K009 | Dost | slicer | 80x | S | |
| C0080K010 | Ceylan/Devran/Herar | slicer | 80x13x1.6mm | S | (see 014) |
| C0080K011 | Ceylan/Devran/Herar | slicer | 80x13x1.6mm | S | 36 (see 015) |
| C0080K012 | Potis/Gurden/Archwa | slicer | 80x13x1.6mm | S | |

| | | | | | |
|-------------|----------------------|------------------|-----------------|---|----------------|
| C0080K013 | Potis/Gurden/Archway | slicer | 80x13x1.6mm | S | 25 |
| C0080K014 | Ceylan/Kerben/Devra | slicer | 80x13x1.6mm | S | (replaces 0 |
| C0080K014A | Ceylan/Kerben/Devra | slicer | 80x13x1.6mm | S | 6 V notches |
| C0080K014AA | Ceylan/Kerben/Devra | slicer | 80x13x1.6mm | S | 4 V notches |
| C0080K014B | Ceylan/Devran/Herar | slicer | 80x13x1.6mm | S | |
| C0080K015 | Ceylan/Kerben/Devra | slicer | 80x13x1.6mm | S | 36(replaces |
| C0080K015A | Ceylan/Kerben/Devra | slicer | 80x13x1.6mm | S | 36+bev opp |
| C0080K015B | Ceylan/Kerben/Devra | slicer | 80x13x1.6mm | S | 36+land |
| C0080K015C | Ceylan/Devran/Herar | slicer | 80x13x1.6mm | S | 36 |
| C0080K016 | Bestcut ACS Catering | slicer | 80x13x1mm | S | |
| C0080K017 | Bestcut ACS Catering | slicer | 80x13x1mm | S | 36 |
| C0080K018 | Velerio | slicer | 80x20x1mm | S | |
| C0080K019 | Gurden/Archway/Cey | slicer | 80x13x1.6mm | S | |
| C0080KARC | Archway | slicing m/c | 80mm | | |
| C0080KEAS | Easycut | slicing m/c | 80mm | | |
| C0080KEAS1 | Easycut | slicing m/c | 80mm | | |
| C0080KEASC | Easycut | cable | | | |
| C0080KPOT1 | Potis | slicing m/c | 80mm | | |
| C0080KPOT2 | Potis | slicing m/c | 80mm | | |
| C0080KPOT3 | Potis | slicing m/c | 80mm | | no transformer |
| C0080KPOT4 | Potis | slicing m/c | 80mm | | |
| C0080KPOT5 | Potis | slicing m/c | 80mm | | |
| C0080KSCR | Riteprice/Easycut/Do | screw | | | |
| C0080KSHA | Riteprice/Easycut/Do | sharpening stone | | | |
| C0080M001 | Merkle | slitter | 80x40x1mm | D | |
| C0080M002 | MGPA | slicer | 80x16x2mm | S | 12 |
| C0080M003 | MGPA | slicer | 80x16x5mm | S | 12 |
| C0080P001 | | slicer | 80x30x1mm | D | |
| C0080P001 | | slicer | 80x30x1mm | D | |
| C0080S001 | | slicer | 80x12.2x1mm | D | |
| C0080T001 | CFS/GEA Tiromat | slitter+holder | 80/81x30x19mm | D | |
| C0080T001A | CFS/GEA Tiromat | holder only | 50x30x18.5mm | D | |
| C0080T001B | CFS/GEA Tiromat | holder only | 50x30x16.5mm | D | |
| C0080T001C | CFS/GEA Tiromat | holder only | 50x30x18.5mm | D | |
| C0080T00 | CFS/GEA Tiromat | slitter | 80/81x32x1mm | D | |
| C0080T002 | CFS/GEA Tiromat | slitter | 80x32x1mm | D | |
| C0080T002b | CFS/GEA Tiromat | slitter | 80x32x1mm | D | p/hs not ec |
| C0080T00 | CFS/GEA Tiromat | slitter | 80/81x30x19mm | D | |
| C0080T002a | CFS/GEA Tiromat | slitter | 80/81x32x1mm | D | |
| C0080T003 | CFS/GEA Tiromat | perf | 80/81x30x18.5mm | D | 4angled slo |
| C0080T00 | CFS/GEA Tiromat | perf | 80/81x32x1mm | D | 4angled slo |
| C0080T00 | CFS/GEA Tiromat | perf | 80/81x32x1mm | D | 4angled slo |
| C0080T004 | CFS/GEA Tiromat | perf | 80x32x1mm | D | 4angled slo |
| C0080T004b | CFS/GEA Tiromat | perf | 80x32x1mm | D | 4angled slo |
| C0080T00 | CFS/GEA Tiromat | perf | 80/81x30x19mm | D | 4v slots |
| C0080T00 | CFS/GEA Tiromat | perf | 80/81x32x1mm | D | 4v slots |
| C0080T005 | CFS/GEA Tiromat | perf | 80/81x30x19mm | D | 4angled slo |
| C0080T006 | CFS/GEA Tiromat | perf | 80/81x32x1mm | D | 4angled slo |
| C0080T007 | CFS/GEA Tiromat | slitter | 80/81x20x18.5mm | D | |
| C0080T007A | CFS/GEA Tiromat | holder only | 50x20x16.5mm | D | 40mm dia |
| C0080T008 | CFS/GEA Tiromat | slitter | 80/81x22x1mm | D | |
| C0080T009 | CFS/GEA Tiromat | perf | 80/81x20x20mm | D | 4angled slo |
| C0080T009A | CFS/GEA Tiromat | perf | 80/81x20x16.5mm | D | 4angled slo |
| C0080T00 | CFS/GEA Tiromat | slitter | 80/81x20x20mm | D | |

| | | | | | |
|------------|----------------------|---------------|------------------|---|----------------|
| C0080T010 | CFS/GEA Tiromat | slitter | 80x32x1mm | S | |
| C0080T011 | CFS/GEA Tiromat | split slitter | 80x32x1.8mm | D | |
| C0080T012 | CFS/GEA Tiromat | perf | 80x32x1mm | D | 8 edge slots |
| C0080T013 | CFS/GEA Tiromat | slitter | 80x32x2mm | D | |
| C0080T014 | CFS/GEA Tiromat | split perf | 80x32x2mm | D | 4v slots |
| C0080T015 | CFS/GEA Tiromat | perf | 80x32x1mm | D | 8 teeth |
| C0080U001 | Ulma | slitter | 80x30x2mm | D | to sharpen |
| C0080U002 | Ulma | split slitter | 80x30x2mm | D | to sharpen |
| C0081T001 | CFS/GEA Tiromat | perf | 81.25x22x1mm | D | 4angled slots |
| C0081T002 | CFS/GEA Tiromat | split perf | 81.25x22x1mm | D | 4angled slots |
| C0081T003 | CFS/GEA Tiromat | slitter | 81.25x22x1mm | D | |
| C0082A001 | | anvil | 82x60x10mm | S | u/cut one side |
| C0084G001 | Gillinkirsch | slitter | 84x8.2x1.2mm | S | |
| C0085A001 | AB Graphic | dished | 85x60x1.3mm | S | |
| C0087H001 | Hajek | slitter | 87x30x1mm | S | |
| C0087H002 | Hajek | slitter | 87x30x1mm | D | |
| C0088C001 | | spacer | 88.8x72.6x0.4mm | | |
| C0088E001 | Erhardt & Leimer | anvil | 88x55x12/5mm | S | 1/2 rnd key |
| C0088E001 | Erhardt & Leimer | anvil | 88x55x12/5mm | S | 1/2 rnd key |
| C0088U001 | Fam/Urschel | slicer | 88.5x41.5x1.46mm | D | 6 teeth |
| C0089A001 | Aluminium | slitter | 89x25.4x.125" | S | 25 teeth |
| C0089C001 | | slitter | 89x41.2x1.27mm | D | |
| C0090A001 | ACM | dished | 90x60x1.2mm | S | |
| C0090C001 | | slitter | 90x22x1mm | S | 8 edge slots |
| C0090C002 | | crush | 90x19x5.6mm | D | |
| C0090C003 | | slitter | 90x25x1mm | ? | |
| C0090D001 | | dished | 90x60x0.8mm | S | |
| C0090D002 | Tidland | dished | 90x60x1.2mm | S | |
| C0090D003 | Dixie Union/Reiser | slitter | 90x25x1mm | S | |
| C0090D003 | Dixie Union/Reiser | slitter | 90x25x1mm | S | |
| C0090D004 | Dixie Union/Reiser | slitter | 90x25x1mm | D | |
| C0090D004 | Dixie Union/Reiser | slitter | 90x25x1mm | D | |
| C0090D005 | Dixie Union/Reiser | slitter | 90x25x2mm | S | |
| C0090D006 | Dixie Union/Reiser | split slitter | 90x25x2mm | D | |
| C0090D006 | Dixie Union/Reiser | split slitter | 90x25x2mm | D | |
| C0090F001 | | slicer | 90x14x0.6mm | S | |
| C0090F001 | | slicer | 90x14x0.6mm | S | |
| C0090F002 | Morski Instytut | slicer | 90x18x1mm | D | |
| C0090K001 | Uneform | slicer | 90x12x1mm | S | |
| C0090K002 | Dost | slicer | 90x13x1.6mm | S | |
| C0090K003 | Dost | slicer | 90x13x1.6mm | S | 30 |
| C0090K004 | Ceylan/Seymen | slicer | 90x13x1.6mm | S | |
| C0090K005 | Ceylan/Seymen | slicer | 90x13x1.6mm | S | 36 |
| C0090K006 | Zeybek | slicer | 90mm | S | |
| C0090K007 | Zeybek | slicer | 90mm | S | 30 |
| C0090K008 | Polydor | slicer | 90x13x1.6mm | S | |
| C0090K009 | Polydor | slicer | 90x13x1.6mm | S | 30 |
| C0090K010 | Riteprice/Easycut/Do | slicer | 90x12x1.6mm | S | |
| C0090K011 | Riteprice/Easycut/Do | slicer | 90x12x1.6mm | S | 30 |
| C0090M001 | Multivac/Repak/Beta | slitter | 90x42x2mm | S | 14.05.0000 |
| C0090M001A | Multivac/Repak/Beta | slitter | 90x42x2mm | S | 14.05.0000 |
| C0090M001T | Multivac/Repak/Beta | slitter | 90x42x2mm | S | 14.05.0000 |
| C0090M002 | Multivac/Repak/Beta | slitter | 90x42x2mm | D | (offer 6p/h |
| C0090M003 | Multivac/Repak/Beta | split | 90x42x2mm | S | |

| | | | | | |
|------------|----------------------|----------------|-----------------|---|---------------|
| C0090M003A | Multivac/Repak/Beta | split | 90x42x2mm | S | |
| C0090M004 | Multivac/Repak/Beta | split | 90x42x2mm | D | 10.580.875 |
| C0090M004A | Multivac/Repak/Beta | split | 90x42x2mm | D | 10.580.875 |
| C0090M005 | Multivac/Repak/Beta | slitter | 90x42x2mm | D | |
| C0090M005A | Multivac/Repak/Beta | slitter | 90x42x2mm | D | |
| C0090M006 | Multivac/Repak/Beta | perf | 90x42x2mm | S | 8 slots x 1.7 |
| C0090M00 | Multivac/Repak/Beta | perf | 90x42x2mm | S | 47 slots x 1 |
| C0090M007 | Multivac/Repak/Beta | slitter | 90x42x2mm | S | 47 scallop 1 |
| C0090M007A | Multivac/Repak/Beta | slitter | 90x42x2mm | S | 47 scallop b |
| C0090M008 | Multivac/Repak/Beta | slitter | 90x42x2mm | S | |
| C0090M009 | Multivac/Repak/Beta | slitter | 90x42x2mm | D | offer 6p/h |
| C0090M010 | Multivac/Repak/Beta | split | 90x42x2mm | S | |
| C0090M011 | Multivac/Repak/Beta | split | 90x42x2mm | D | 10.580.875 |
| C0090M012 | Multivac/Repak/Beta | slitter | 90x42x2mm | S | |
| C0090M012 | Multivac/Repak/Beta | slitter | 90x42x2mm | S | |
| C0090M013 | Multivac/Repak/Beta | perf | 90x42x2mm | S | 20 edge slo |
| C0090M014 | Multivac/Repak/Beta | dished | 90x60x0.8mm | | |
| C0090R001 | Multivac/Sealpac Rep | slitter | 90x42x1.5mm | S | 14.05.0000 |
| C0090T001 | Tidland | slitter | 90x60x1.2mm | S | |
| C0090T002 | Tidland | slitter | 90x60x6/1.2mm | S | |
| C0090T003 | Tidland | anvil | 90x60x20mm | D | |
| C0090T004 | Tidland | slitter | 90x47.6x2/1.2mm | S | stepped thl |
| C0090T005 | Tidland | dished | 90x60x1.2mm | S | |
| C0090T006 | Tiropac | slitter | 90x22x1mm | D | |
| C0090T006A | Tiropac | holder only | 40x20x19mm | | |
| C0090T007 | Tiropac | slitter+holder | 90x20x19mm | D | hub 40x20x |
| C0090U001 | Urschel | slicer | 90x30x1mm | D | |
| C0090V001 | Variovac/PS SystemPz | slitter | 90x42x1mm | D | |
| C0090V002 | Variovac/PS SystemPz | split slitter | 90x42x1mm | D | |
| C0090V003 | Variovac/PS SystemPz | slitter | 90x42x1mm | D | 10mm d.be |
| C0090W001 | Webomatic | slitter | 90x23x2mm | D | |
| C0090W002 | Webomatic | slitter | 90x20x1mm | D | |
| C0090W002A | Webomatic | slitter | 90x23x1mm | D | c/w C0090V |
| C0090W002B | Webomatic | holder only | 40x20x19mm | | |
| C0090W002C | Webomatic/Tiropac | perfs | 90x20x1mm | D | c/w C0090V |
| C0092V001 | Variovac | slitter | 92x42x1mm | D | |
| C0092V001 | Variovac | slitter | 92x42x1mm | D | |
| C0092V002 | Epak/Variovac | slitter | 92x27x1mm | D | 8mm d.bev |
| C0092V002B | Epak/Variovac | holder only | 50x25x18.5/17mm | D | |
| C0092V002A | Epak/Variovac | slitter | 92x25x18.5mm | D | c/w hub sw |
| C0093T001 | | slicer | 93x30x0.7mm | D | |
| C0093T001 | | slicer | 93x30x1.2mm | D | |
| C0093T002 | | spacer | 36.8x30x8.5mm | | |
| C0094K001 | Donexe/Gyrox | slicer | 94x12x1mm | S | |
| C0094K002 | Donexe/Gyrox | slicer | 94x12x1.5mm | S | |
| C0095C001 | | slitter | 95x17x1.5mm | S | to shpnr |
| C0095C001 | | slitter | 95x17x1.5mm | S | to shpnr |
| C0095E001 | Erhardt & Leimer | top slitter | 95x55x5mm | S | |
| C0095E001 | Erhardt & Leimer | top slitter | 95x55x5mm | S | 1/2 rnd key |
| C0095K001 | Uneform | slicer | 95x12x1mm | S | |
| C0095K001 | Uneform | slicer | 95x12x1mm | S | |
| C0095K002 | | slicer | 95x10x1.6mm | S | |
| C0095K003 | Hendi | slicer | 95x10x1.6mm | S | 36 |
| C0095K004 | Uneform | slicer | 95x12x1mm | S | 36 |

| | | | | | |
|------------|-------------------------|---------------|------------------------|----|--------------|
| C0096I001 | Ilpra | slitter | 96x30x5mm | S | |
| C0096V001 | | perforator | 96x20x3mm | S | 10 edge slo |
| C0099M001 | Mecaplastic | perfs | 99x46x3mm | S | 20 edge slo |
| C0099M001 | Mecaplastic | perfs | 99x46x3mm | S | 20 edge slo |
| C0099M002 | Mecaplastic | slitter | 99x46x3mm | S | |
| C0099M002 | Mecaplastic | slitter | 99x46x3mm | S | |
| C0100C001 | | slitter | 100x34x1.27mm | D | |
| C0100C002 | | slitter | 100x22x1mm | D | |
| C0100C003 | | slitter | 100x60x1mm | D | |
| C0100C004 | | slitter | 100x22x1mm | D | |
| C0100C004 | | slitter | 100x22x1mm | D | |
| C0100C005 | | slitter | 100x22x0.8mm | D | |
| C0100C006 | | core cutter | 100x26x3mm | D | |
| C0100D001 | | dished | 100x70x1.2mm | S | |
| C0100D002 | | dished | 100x66x1mm | S | |
| C0100D003 | | dished | 100x65x0.8mm | S | |
| C0100D004 | | dished | 100x70x0.8mm | D | |
| C0100H001 | Hauni | slitter | 100x15x0.35mm | D | |
| C0100H002 | Hauni | slitter | 100x45x0.2mm | D | |
| C0100K001 | Tandir/Jet/Key Top/R | slicer | 100x10x1.6mm | S | |
| C0100K002 | Tandir/Jet/Key Top/R | slicer | 100x10x1.6mm | S | 36 |
| C0100K002B | Tandir/Jet/Key Top/R | slicer | 100x10x1.4mm | S | 30 |
| C0100K003 | Dost | slicer | 100mm | S | |
| C0100K004 | Dost | slicer | 100mm | S | 30 |
| C0100K004 | IDM Kesme Bicagi | slicer | 100x16x1.5mm | S | |
| C0100K005 | IDM Kesme Bicagi | slicer | 100x16x1.5mm | S | scallop+mic |
| C0100K006 | Veysel's | slicer | 100x10x1.45mm | S | |
| C0100K007 | Veysel's | slicer | 100x10x1.45mm | S | 30 |
| C0100K008 | Veysel's | slicer | 100x10x1.45mm | S | 62+microte |
| C0100KTAN | Tandir/Jet/Key Top | slicing m/c | 100mm | | |
| C0100L001 | Linco | slicer | 100x32x2mm | D | |
| C0100M001 | Multivac/Repak/SAK | dished | 100x70x1.2mm | S | |
| C0100M002 | Multivac | dished | 100x70x1.2mm | D | |
| C0100M003 | Multivac/Repak/SAK | dished | 100x70x0.8mm | S | |
| C0100M004 | | slicer | 100x32x1mm | S | |
| C0100R001 | Rapid | slitter | 100x70x1.25mm | S | |
| C0100S001 | Stork | slicer | 100x30/25x2mm | S | |
| C0100S002 | Systemate Numafa | slicer | 100x22.2x2mm | S | |
| C0100S003 | | slitter | 100x60x6mm | Sq | |
| C0100S004 | Stork | slicer | 100mm | | |
| C0100S005 | Stork | slicer | 100x30/25x2mm | D | |
| C0100S006 | Speedex | slitter | 100x25x4mm | D | with boss |
| C0100T001 | CFS/GEA Tiromat | split slitter | 100x35x1mm | D | |
| C0100T002 | CFS/GEA Tiromat | split slitter | 100x35x1mm | D | 4 edge slots |
| C0100T003 | CFS/GEA Tiromat | split slitter | 100x35x1mm | D | recess one |
| C0100T004 | CFS/GEA Tiromat | split perf | 100x35x2mm | D | 4 edge slots |
| C0100V001 | | perforator | 100x20x3mm | S | 10 edge slo |
| C0101B001 | Bitterling/Stainless St | slitter | 101.6x25.4x1mm | S | |
| C0101C001 | CB | slicer | 101.5x35x2mm | D | |
| C0101F001 | Fam/Urschel | slicer | 101.5x41.5x1.46mm | D | |
| C0101F002 | Fam/Urschel | slicer | 101.5x41.5x1.46mm | D | 100 edge n |
| C0101F003 | Fam/Urschel | slicer | 101.6x41.6x0.5mm | S | |
| C0101F004 | Fam/Urschel | slicer | 101.5x30.5x1.46mm | D | 200 edge n |
| C0101F005 | Fam/Urschel | slicer | 101.5x54.1x0.48/0.55mm | D | 200 edge n |

| | | | | | |
|------------|----------------------|---------------|-------------------------|----|--------------|
| C0101F006 | Fam/Urschel | slicer | 101.75x54.1x0.48/0.55mm | D | |
| C0101F007 | Fam/Urschel | slicer | 101.1x30.5x0.48mm | S | 200 edge n |
| C0101S001 | | slitter | 101x80x3.2mm | Sq | chamfer co |
| C0101S001 | | slitter | 101x80x3.2mm | Sq | chamfer co |
| C0101S002 | | slitter | 101.7x60x3.18mm | Sq | |
| C0102B001 | Bosch | slitter | 102x35x6mm | S | |
| C0102C001 | | slicer | 102x41.4x1.5mm | D | |
| C0102M001 | Multivac | dished | 102x70x1.2mm | S | |
| C0102M002 | Multivac | dished | 102x70x1.2mm | D | supply M00 |
| C0102M003 | Multivac | dished | 102x70x1.2mm | D | |
| C0102M003 | Multivac | holder only | 102x45x15mm | | |
| C0102M004 | Meyn | slicer | 102x22x2mm | S | |
| C0102M005 | Multivac | dished | 102x70x1.2mm | D | replaced M |
| C0102W001 | Weber | split slitter | 102x42x2mm | D | |
| C0103C001 | | knife | 103x40x1.5mm | D | |
| C0103V001 | Variovac/PS SystemPz | slitter | 103x42x1mm | D | |
| C0104C001 | | knife | 104x36x2mm | D | |
| C0104C001 | | knife | 104x36x2mm | D | |
| C0105A001 | ACM | dished | 105x75x1.3mm | S | |
| C0105B001 | | anvil | 105x80x10mm | S | |
| C0105C001 | | knife | 105x50x1.2mm | Sq | |
| C0105C002 | | slitter | 105x50x1mm | D | |
| C0105D001 | Titan | dished | 105x65x1.2mm | S | |
| C0105D002 | | dished | 105x75x1.2mm | S | |
| C0105D003 | | dished | 105x70x1.2mm | S | |
| C0105E001 | Elton | | 105x25x5mm | D | |
| C0105G001 | Goss | slitter | 105x46x1.6mm | | |
| C0105G002 | Goss | slitter | 105x46x1.6mm | | |
| C0105M001 | Multivac | dished | 105x70x1.2mm | S | |
| C0105M002 | Multivac | dished | 105x70x1.2mm | D | |
| C0105M003 | Merkle | slitter | 105x50x1mm | D | polished be |
| C0105M004 | Multivac | dished | 105x75x1.2mm | D | |
| C0105S001 | Stork | slicer | 105x30/25x2mm | S | 4 edge slots |
| C0105T001 | CFS/GEA Tiromat/Uln | dished | 105x65x1.2mm | S | |
| C0105T002 | CFS/GEA Tiromat/Uln | dished | 105x65x1.2mm | D | |
| C0105T003 | Tidland | anvil | 105x80x20mm | D | D.sided |
| C0105T004 | Titan | anvil | 105x90x25mm | D | |
| C0105T005 | CFS/GEA Tiromat/Uln | dished | 105x65x1.2mm | S | |
| C0105T006 | CFS/GEA Tiromat | dished | 105x65x1.2mm | D | |
| C0107M001 | Multivac | dished | 107x75x1.2mm | S | |
| C0107T001 | CFS/GEA Tiromat/Uln | dished | 107x65x1.2mm | S | |
| C0107T002 | | spacer | 107.8x100x3.3mm | Sq | |
| C0107U001 | Ulma | slitter | 107x40x2mm | D | to sharpene |
| C0107U002 | Ulma | split slitter | 107x40x2mm | D | to sharpene |
| C0108U001 | Ulma | anvil | 108x82mm ??? | Sq | |
| C0108D001 | | dished | 108x65x1.2mm | S | |
| C0108D002 | | dished | 108x65x1.2mm | D | |
| C0108D003 | | dished | 108x65x1.2mm | S | |
| C0109D001 | | dished | 108x65x1.2mm | D | |
| C0109S001 | Shambon | slitter | 109x10x40mm | S | to land |
| C0110A001 | CFS/GEA Aquarius | split perf | 110x55x3mm | D | 12 teeth |
| C0110A001T | CFS/GEA Aquarius | split perf | 110x55x3mm | D | 12 teeth |
| C0110A002T | CFS/GEA Aquarius | perf | 110x32x3mm | D | 12 teeth |
| C0110A002 | Alpma | slitter | 110x45x2mm | D | |

| | | | | | |
|------------|----------------------|-------------|------------------|----|--------------|
| C0110C001 | | slitter | 110x50x0.5mm | D | |
| C0110C002 | | slicer | 110x40/38x1mm | D | |
| C0110C002 | | slicer | 110x40/38x1mm | D | |
| C0110C003 | | anvil | 110.1x84xmm | D | rubber ring |
| C0110G001 | Grasselli | slicer | 110x21/19.6x1mm | D | |
| C0110G001 | Grasselli | slicer | 110x21/19.6x1mm | D | |
| C0110K001 | Kronen | dicer | 110x50.2x0.8mm | D | |
| C0110K002 | Kronen | slitter | 110x50x0.5mm | D | |
| C0110K002A | Kronen | slitter | 110x50x0.5mm | S | |
| C0110K003 | Tandir/Jet/Key Top/R | slicer | 110x10x1.6mm | S | |
| C0110L001 | Linco | slicer | 110x32x2mm | | |
| C0110L002 | Ling004 | slitter | 110x45x1.2mm | D | |
| C0110L003 | Linco | slicer | 110x22x2.7mm | | |
| C0110M001 | Meyn | slicer | 110x32x2mm | S | |
| C0110M002 | Multivac/Repak/Beta | split | 110x42x2mm | D | |
| C0110M003 | Multivac/Repak/Beta | slitter | 110x42x2mm | D | |
| C0110M004 | Meyn | slicer | 110x32x2mm | S | scallop+mic |
| C0110S001 | Stork | slicer | 110x30/25x2mm | S | scallop+mic |
| C0110S002 | Stork | slicer | 110x30/25x2mm | S | scallop |
| C0110S003 | Stork | slicer | 110mm | | |
| C0110S004 | ISU Skiver | slitter | 110x50x2mm | S | |
| C0110S005 | Stork | slicer | 110x30/25x2mm | S | |
| C0110U001 | Ulma | anvil | 110x84x5mm | Sq | |
| C0110U002 | Ulma | slitter | 110x84x3mm | D | |
| C0110U002 | Ulma | slitter | 110x84x3mm | D | |
| C0110U003 | Ulma | anvil | 110x84x7mm | Sq | |
| C0111U001 | Ulma | anvil | 111x86x3mm | Sq | |
| C0112I001 | Ilapak | knife | 112x12.2mm | D | PTFE ctd |
| C0112T001 | CFS/GEA Tiromat/Uln | dished | 112x65x1.2mm | S | |
| C0114J001 | Jarvis | saw | 114.3x38.1x0.6mm | | 90 set teeth |
| C0114J002 | Jarvis | saw | 114.3x38.1x0.5mm | | 90 set teeth |
| C0114J002 | Jarvis | saw | 114.3x38.1x0.5mm | | 90 set teeth |
| C0114R001 | Rapid Pak | slicer | 114.3x25.4x1mm | S | 76 scallop t |
| C0114R002 | Rapid Pak | slicer | 114.3x25.4x1mm | S | 76 scallop t |
| C0114S001 | | saw | 114x30x0.8mm | | 5mm p teeth |
| C0114S001 | | saw | 114x30x0.8mm | | 5mm p teeth |
| C0115S001 | | saws | 115x30x0.9mm | D | 72 teeth |
| C0115S002 | Stork | slicer | 115x30/27x1.5mm | S | |
| C0116R001 | Sealpac Repak | anvil | 116x55x1.5mm | D | |
| C0117C001 | | slitter | 117x40x2mm | D | |
| C0118D001 | Dovaina | slicer | 118x25/24x1.2mm | S | 1.25mm p t |
| C0118K001 | Avrupas/Dost | slicer | 118x15x1.5mm | S | |
| C0118K002 | Avrupas/Dost | slicer | 118x15x1.5mm | S | 36 |
| C0118K003 | Avrupas/Dost | slicer | 118x15x1.5mm | S | 36 |
| C0120B001 | Baader | slicer | 120x14x1.5mm | S | |
| C0120B002 | Bison | split | 120x42x2.29mm | S | |
| C0120B002 | Bison | split | 120x42x2.29mm | S | |
| C0120B003 | Bison | slitter | 120x42x2.29mm | S | |
| C0120D001 | | dished | 120x80x1.2mm | S | |
| C0120F001 | Fish | slicer | 120x28/26x1mm | D | |
| C0120F002 | Fish | slicer | 120x28/26x1mm | D | 25 slots 1x1 |
| C0120H001 | Hilutec | slitter | 120x32x2mm | D | use with hu |
| C0120H002 | Hilutec | slitter+hub | 120x30x18.5mm | D | swaged to f |
| C0120I001 | | slitter | 120x40/38xmm | S | |

| | | | | | |
|--------------|----------------------|--------------|-------------------|---|--------------|
| C0120K001 | Tandir/Jet/Key Top | slicer | 120x10x1.6mm | S | |
| C0120K001B | Tandir/Jet/Key Top | slicer | 120x10x1.6mm | S | Oem |
| C0120K001D | Tandir/Jet/Key Top | slicer | 120x10x1.6mm | S | Dick |
| C0120K002 | Dibeksan/Tandir/Jet/ | slicer | 120x10x1.6mm | S | 36 |
| C0120K002new | | slicer | 120x10x1.5mm | S | 36 |
| C0120K002B | Dibeksan/Tandir/Jet/ | slicer | 120x10x1.6mm | S | 36 |
| C0120K002D | Dibeksan/Tandir/Jet/ | slicer | 120x10x1.6mm | S | 36 |
| C0120K007 | IDM Kesme Bicagi | slicer | 120x16x1.5mm | S | |
| C0120K008 | IDM Kesme Bicagi | slicer | 120x16x1.5mm | S | scallop+mic |
| C0120K009 | Dost | slicer | 120mm | S | |
| C0120K010 | Dost | slicer | 120mm | S | 36 |
| C0120K011 | Tandir/Jet/Key Top | slicer | 120x10x1.5mm | D | |
| C0120KTAN | Tandir/Jet/Key Top | slicing m/c | 120mm | | |
| C0120KTAN1 | Tandir/Jet/Key Top | slicing m/c | 120mm | | |
| C0120M001 | Stork Metalquimia | macerator | 120x32x1mm | D | 23 teeth |
| C0120M002 | Meyn | slicer | 120x32x2mm | S | |
| C0120M003 | Stork Metalquimia | macerator | 120x32x1.25mm | D | 25 teeth |
| C0120M004 | Marel | slicer | 120x13.8x3mm | S | |
| C0120P001 | | knife | 120x42.3x1.5mm | D | 12 teeth |
| C0120R001 | Reepack | knife | 120x55x0.8mm | D | 8 edge slots |
| C0120R001A | Reepack | knife | 120x55x0.8mm | D | 8 edge slots |
| C0120S001 | | macerator | 120x30x0.8mm | | 12 teeth |
| C0120S002 | | macerator | 120x30x1mm | | 12 teeth |
| C0121K001 | Kronen | slitter | 121x50x0.5mm | D | |
| C0125C001 | | slitter | 125.4x73.1x1.6mm | S | |
| C0125C002 | | slitter | 125x65x5.7mm | S | |
| C0125C002 | | slitter | 125x65x5.7mm | S | |
| C0125D001 | | dished | 125x80x1.2mm | S | |
| C0125E001 | Eberle | core cutter | 125x60x2mm | D | |
| C0125E002 | Elifab Solutions | split slicer | 125x46x1.2mm | D | 60 teeth |
| C0125M001 | Meyn | slicer | 125x32x2mm | S | |
| C0125M002 | Meyn | slicer | 125x32x2mm | D | |
| C0125P001 | Unitec | split perf | 125x25x1mm | D | 88 teeth |
| C0125S001 | Stork | slicer | 125x30/25x2mm | S | |
| C0125S002 | Stork | slicer | 125x30/25x2mm | S | |
| C0125S003 | Stork | slicer | 125x30/25x2mm | S | |
| C0125S004 | Systemate/Linco | slicer | 125x22x2mm | S | scallop+mic |
| C0125T001 | | anvil | 125x90x16/6mm | S | u/cut opp s |
| C0127G001 | Garos | Tenderizor | 127x36x2mm | D | 10 teeth |
| C0127S001 | | slitter | 127x25.4x1.2mm | D | 48 teeth |
| C0127U001 | Fam/Urschel | slicer | 127x41.5x1.46mm | D | |
| C0128C001 | Comac | Lacerator | 128x36x2mm | D | 16 teeth |
| C0128C00 | Comac | regrind | 128x36x2mm | D | 16 teeth |
| C0129C001 | | slicer | 129x40x2.8mm | S | 81 teeth |
| C0129W001 | Whizard | knife | 129.1x107.6x5.5mm | S | 161 teeth |
| C0130D001 | | dished | 130x70x1.5mm | S | |
| C0130D002 | | dished | 130x100x1.2mm | S | |
| C0130D003 | | dished | 130x100x1.5mm | D | |
| C0130D004 | | dished | 130x100x1.5mm | S | |
| C0130D005 | | dished | 130x100x1.5mm | S | |
| C0130D006 | | dished | 130x80x2mm | S | |
| C0130E001 | Cruzeta | knife | 130mm | | |
| C0130G001 | Goss | dished | 130x80x1.5mm | S | |
| C0130G002 | Tidland | dished | 130x80x1.5mm | D | 12deg sb+s |

| | | | | | |
|------------|---------------------|---------------|-------------------|----|-------------|
| C0130G003 | Goss | dished | 130x80x1.5mm | S | |
| C0130G004 | Tidland | dished | 130x80x1.5mm | D | 12deg sb+s |
| C0130K001 | IDM Kesme Bicagi | slicer | 130x16x2mm | S | |
| C0130S001 | | knife | 130x30/26x1.5mm | D | |
| C0130S001a | | blank | 130x30/26x1.5mm | Sq | |
| C0130S002 | | knife | 130x24x2mm | D | |
| C0130S002a | | blank | 130x24x2mm | Sq | |
| C0130S003 | Speedex | slitter | 130x25x4mm | D | with boss |
| C0130T001 | Tidland | dished | 130x80x1.5mm | D | 12deg sb+s |
| C0130T002 | | knife | 130x50x4mm | S | u/cut opp s |
| C0134H001 | Hobart | mincer blade | 134x23mm | | 4 arm |
| C0139F001 | | saws | 139.7x31.75x.64mm | | 100 teeth |
| C0140D001 | | dished | 140x45x1.2mm | S | |
| C0140D002 | | dished | 140x95x1.2mm | S | |
| C0140D003 | | dished | 140x95x2mm | S | 60deg |
| C0140D004 | | dished | 140x95x2mm | S | 45deg |
| C0140D005 | Cryovac | dished | 140x70x3mm | D | |
| C0140D005 | Cryovac | dished | 140x70x3mm | D | |
| C0140D005 | Cryovac | dished | 140x70x3mm | D | |
| C0140D005A | Cryovac | dished | 140x70x2.5mm | D | |
| C0140D006 | | dished | 140x60x2mm | D | |
| C0140D006 | | dished | 140x60x2mm | D | |
| C0140D006 | | dished | 140x60x2mm | D | |
| C0140D007 | | slicer | 140x30x0.5mm | D | |
| C0140K001 | Tandir/Jet/Key Top | slicer | 140x10x1.6mm | S | |
| C0140K002 | Tandir/Jet/Key Top | slicer | 140x10x1.6mm | S | 36 |
| C0140K003 | IDM Mekatronik | slicer | 140x16x1.5mm | S | |
| C0140K004 | IDM Mekatronik | slicer | 140x16x1.5mm | S | 36 |
| C0140K005 | Atalay | slicer | 140x14x1.6mm | S | |
| C0140K006 | Potis Korkmaz Mekat | slicer | 140x16x1.5mm | S | |
| C0140K007 | Potis Korkmaz Mekat | slicer | 140x16x1.5mm | S | 36 |
| C0140K008 | IDM Mekatronik | slicer | 140x16x1.24mm | S | |
| C0140P001 | | microperfs | 140x32x0.7mm | D | 100teeth |
| C0140V001 | VMK | slicer | 140x22x3mm | S | 12 slots 4m |
| C0145C001 | | slitter | 145x70x3mm | D | |
| C0146B001 | | split anvil | 146.18x101.5x19mm | | |
| C0148G001 | Goss | split slitter | 148x38x4.7mm | | |
| C0149M001 | | macerator | 149.5x46.4x1mm | D | 23 teeth |
| C0150C001 | | core cutter | 150x30x3mm | D | |
| C0150C002 | | core cutter | 150x30x3mm | D | |
| C0150C003 | | core cutter | 150x70x2.5mm | D | |
| C0150C004 | | core cutter | 150x70x2.5mm | D | |
| C0150C005 | | slicer | 150x32x1mm | D | |
| C0150C005 | | slicer | 150x32x1mm | D | |
| C0150D001 | | dished | 150x70x2.0mm | S | |
| C0150D002 | | dished | 150x80x2.0mm | S | |
| C0150D003 | | dished | 150x80x2.5mm | D | |
| C0150D004 | | dished | 150x80x2.0mm | D | |
| C0150D004 | | dished | 150x80x2.0mm | D | |
| C0150D005 | | dished | 150x80x2.0mm | D | |
| C0150D005 | | dished | 150x80x2.0mm | D | |
| C0150D006 | | dished | 150x80x2.5mm | D | |
| C0150K001 | Ceylan | slicer | 150x10x1.55mm | S | |
| C0150K002 | Ceylan | slicer | 150x10x1.55mm | S | 36 |

| | | | | | |
|------------|-----------------|---------------|--------------------|----|--------------|
| C0150K003 | Kuris | knife | 150x35x1.6mm | S | 4 sided |
| C0150M001 | Multivac | split slitter | 150x42x2mm | D | |
| C0150M001T | Multivac | split slitter | 150x42x2mm | D | |
| C0150M002 | Multivac | slitter | 150x42x2mm | D | 889092 |
| C0150M002T | Multivac | slitter | 150x42x2mm | D | 889092 |
| C0150M003 | Metalquimia | macerator | 150x46.4x1.6mm | D | 23 teeth bc |
| C0150M004 | Metalquimia | macerator | 150x46.4x3mm | D | 15 teeth bc |
| C0150M005 | Marel | slicer | 150x54/52x2mm | D | |
| C0150M005 | Marel | slicer | 150x54/52x2mm | D | |
| C0150S001 | | slicer | 150x50x0.5mm | D | |
| C0150S002 | Stork | slicer | 150x30/25x1mm | S | |
| C0150T001 | Tidland | dished | 150x80x2.5mm | D | 12degsb+sh |
| C0150T002 | Tidland | dished | 150x80x2.5mm | D | 12degsb+sh |
| C0150V001 | Vemag | split slitter | 150x95x7mm | S | |
| C0150V001 | Vemag | split slitter | 150x95x7mm | S | |
| C0152G001 | Grote | slicer | 152.4x50.8x2.4mm | S | 12.7mm sb |
| C0152J001 | Jarvis | saw | 152.4x38.45x1mm | | 140 teeth |
| C0152P001 | PCM | saw | 152.4x54x0.7mm | | 100 teeth d |
| C0152U001 | Ulma | slitter | 152x40x2mm | D | to sharpene |
| C0152U002 | Ulma | split slitter | 152x40x2mm | D | to sharpene |
| C0155C001 | | core cutter | 155x50x3mm | D | |
| C0155C00 | | core cutter | 155x50x3mm | D | |
| C0155P001 | | microperfs | 155x32x0.7mm | D | 128teeth |
| C0155T001 | CFS/GEA Tiromat | split slitter | 155x32x1mm | D | |
| C0155T002 | CFS/GEA Tiromat | split perf | 155x32x1mm | D | |
| C0155T003 | CFS/GEA Tiromat | split perf | 155x32x1mm | D | 2x halves |
| C0155T004 | CFS/GEA Tiromat | slitter | 155x32x1mm | D | |
| C0155T005 | CFS/GEA Tiromat | split slitter | 155x32x1mm | D | |
| C0155T006 | CFS/GEA Tiromat | split slitter | 155x32x1mm | D | 2x halves |
| C0156T001 | CFS/GEA Tiromat | slitter | 156x32x1mm | D | |
| C0158S001 | | slitter | 158.75x25.4x2.4mm | S | |
| C0160C001 | | slicer | 160x17x0.8mm | D | NOT FLAT |
| C0160C001 | | slicer | 160x17x0.7mm | D | polished |
| C0160C003 | | slicer | 160x25x2.5mm | S | |
| C0160M001 | Meyn | slicer | 160x32x2mm | D | |
| C0160M002 | Multivac | dished | 160x110x2mm | S | |
| C0160R001 | Reepack | slitter | 160x25x1.5mm | S | |
| C0160T001 | | anvil | 160x100x25mm | S | |
| C0162C001 | | slitter | 162x110x3 | S | |
| C0162C002 | | slitter | 162x95x8.2mm | S | |
| C0162C002 | | slitter | 162x95x8.2mm | S | |
| C0165C001 | | slitter | 165x25x2.5mm | S | |
| C0165J001 | Jarvis | saw | 165x38.4x1.2mm | | 140 set tee |
| C0165J002 | Jarvis | saw | 165x38.4x0.8mm | | 140 set tee |
| C0165J003 | Jarvis | saw | 165x18.4x1.0mm | | 62 set teetf |
| C0165J004 | Jarvis | saw | 165x18.3x1.0mm | | 60 Vari pitc |
| C0165J004 | Jarvis | saw | 165x18.3x1.0mm | | 52 Vari pitc |
| C0165J005 | Jarvis | saw | 165x38.1x1.5/1.0mm | | 60 Vari pitc |
| C0165K001 | | slicer | 165x44x2mm | D | |
| C0168M001 | Multivac | anvil | 168x56x4mm | Sq | |
| C0169M001 | Mecaplastic | perfs | 169x50x3mm | S | 33 x 1.9mm |
| C0169M002 | Multivac | anvil | 169x56x4.15mm | Sq | |
| C0170C001 | | slicer | 170x30x5mm | D | hex bore |
| C0170C002 | | slicer | 170x40x1.1mm | D | |

| | | | | | |
|------------|------------------|-------------|------------------|---|----------------|
| C0170F001 | Frampton | slicer | 170x25x1.6mm | S | |
| C0170M001 | Meyn | slicer | 170x32x2mm | D | |
| C0170S001 | Stork | slicer | 170x30/25x2mm | S | |
| C0170S002 | Speedex | slitter | 170x25x4mm | D | with boss |
| C0175B001 | Multiknife block | anvil | 175x135x150mm | D | 14 grooves |
| C0175C001 | | slicer | 175x32x3mm | D | |
| C0175C001 | | slicer | 175x32x3mm | D | |
| C0175K001 | Karl Schnell 175 | slicer | 175x80mm | | 3 arm |
| C0175M001 | Meyn | slicer | 175x32x2mm | S | 30deg back |
| C0175M002 | Meyn | slicer | 175x32x2mm | S | 6 edge slots |
| C0175M003 | Multivac | dished | 175x42x2mm | D | |
| C0175S001 | Stork | slicer | 175x30/25x2mm | S | 4 edge slots |
| C0175S002 | Stork | slicer | 175x30/25x2mm | S | |
| C0175S003 | Stork | slicer | 175x30/25x2mm | S | 24 edge slots |
| C0175S004 | Stork | slicer | 175x30/25x2mm | S | Microteeth |
| C0175W001 | Wolfking | slicer | 175x47.6x1.6mm | D | 8 edge slots |
| C0178B001 | Baader | slicer | 178x22x3mm | S | 22 slots |
| C0178L001 | Linco | slicer | 178x22x1.5mm | | |
| C0180A001 | Cevenini ATC | core cutter | 180x25x2mm | D | |
| C0180A002 | Cevenini ATC | core cutter | 180x25x2mm | D | |
| C0180B001 | Baader | slicer | 180x22x3mm | S | 24 slots |
| C0180K001 | Kronen | slicer | 180x40x0.5mm | D | |
| C0180K002 | Kronen | slicer | 180x40x0.5mm | D | |
| C0180M001 | Marel | slicer | 180x13.8x3mm | S | |
| C0180M002 | Marel | slicer | 180x13.8x3mm | S | |
| C0180P001 | Projx Services | slicer | 180x25x2mm | D | |
| C0180S001 | | slicer | 180x41x2mm | D | 24 teeth |
| C0180S001 | | slicer | 180x41x2mm | D | 24 teeth |
| C0180T001 | Tidland | dished | 180x70x4mm | D | 12degsb+sh |
| C0180T002 | Tidland | dished | 180x70x4mm | D | 12degsb+sh |
| C0180T003 | Tidland | dished | 180x80x4mm | D | 12degsb+sh |
| C0180T004 | Tidland | dished | 180x80x4mm | D | 12degsb+sh |
| C0190P001 | | perforator | 190.5x50.9x1.9mm | S | 26 edge slots |
| C0191S001 | | slicer | 191x32/28x1mm | D | 6 edge V slots |
| C0194B001 | Baader | slicer | 194x22x3.3mm | S | |
| C0195S001 | Stork | slicer | 195x30/25x2mm | D | 4 slots |
| C0200B001 | Baader | slicer | 200x22x3mm | S | 22 slots 8mm |
| C0200B002 | Baader | slicer | 200x22x3mm | S | 22 slots 3mm |
| C0200B003 | Baader | slicer | 200x22x3mm | S | 22 slots 3.7mm |
| C0200B004 | Baader | slicer | 200x22x3mm | S | 22 slots 3mm |
| C0200B005 | Baader | slicer | 200x22x3mm | S | 8 slots 6mm |
| C0200B005a | Baader | slicer | 200x22x3mm | S | 8 slots 6mm |
| C0200B006 | Baader | slicer | 200x22x3mm | S | 24 slots 6mm |
| C0200B007 | Baader | slicer | 200x22x3mm | S | 36 slots 10mm |
| C0200B008 | Baader | slicer | 200x22x3mm | S | 22 slots 10mm |
| C0200C001 | | slicer | 200x45x1mm | D | |
| C0200C001 | | slicer | 200x45x1mm | D | |
| C0200C002 | | slicer | 200x52x3mm | S | |
| C0200D001 | Dovaina | slicer | 200x25/24x1.2mm | S | 1.25mm pitch |
| C0200F001 | | slicer | 200x50x2mm | D | 48 teeth |
| C0200F002 | | slicer | 200x32x2mm | S | |
| C0200J001 | Jagenberg | slitter | 200x65x2.7mm | S | |
| C0200J002 | Jagenberg | slitter | 200x65x2.7mm | S | CrN coated |
| C0200K001 | Kronen | slicer | 200x40x0.5mm | D | |

| | | | | | |
|------------|---------------------|--------------|--------------------|----|---------------|
| C0200K002 | Knock | slicer | 200x33.2x2mm | D | |
| C0200K003 | IDM Kesme Bicagi | slicer | 200x16x1.5mm | S | |
| C0200K004 | Kronen | slicer | 200x40x0.7mm | D | |
| C0200L001 | Linco | slicer | 200x32x2.5mm | | |
| C0200M001 | Meyn | slicer | 200x32x2mm | D | |
| C0200M002 | Meyn | slicer | 200x32x2mm | S | |
| C0200M003 | Meyn | slicer | 200x32x2.5mm | S | 12 edge slo |
| C0200M004 | Meyn | slicer | 200x32x2.5mm | D | 12 edge slo |
| C0200M005 | Meyn | slicer | 200x32x2mm | | |
| C0200N001 | Nock | slicer | 200x33.1x2mm | D | |
| C0200N002 | Nock | slicer | 200x33.1x2mm | D | scallop+mic |
| C0200S001 | Seydelmann 200 | knife holder | 200x52mm | | |
| C0200S001A | Seydelmann 200 | Insert | | | |
| C0200S001 | Stork | slicer | 200x30/25x2mm | S | scallop+mic |
| C0200S002 | Stork | slicer | 200x30/25x2mm | S | scallop+mic |
| C0200S003 | | slicer | 200x32/28x2mm | S | scallop+mic |
| C0200T001 | Tidland | dished | 200x80x4mm | D | 12degsb+sh |
| C0200T002 | Tidland | dished | 200x80x4mm | D | 12degsb+sh |
| C0200V001 | VMK | slicer | 200x35x3mm | S | |
| C0200V002 | VMK | slicer | 200x35x3mm | S | 12 slots 3.2 |
| C0200V003 | VMK | slicer | 200x35x4mm | S | 12 slots 6m |
| C0202F001 | Fendo | slicer | 202x30/27x1.2mm | D | 5mm d.bev |
| C0202T001 | Tweddle Engineering | knife | 202x70.5x1.6mm | Sq | 32 teeth |
| C0202T002 | Tweddle Engineering | knife | 202x70.5x1.6mm | Sq | 32 teeth |
| C0203C001 | Carruthers | slicer | 203.2x44.45x1mm | D | |
| C0203C001 | Carruthers | slicer | 203.2x44.45x1mm | D | |
| C0203F001 | Francis Overhaul | slicer | 203x44.45x1mm | D | |
| C0203J001 | Jarvis | saw | 203x | | |
| C0203P001 | Palamatic/KHS Chron | bag knife | 203.2x20/15x3.17mm | S | 100teeth L |
| C0203P002 | Palamatic/KHS Chron | bag knife | 203.2x20/15x3.17mm | S | 100teeth R |
| C0208M001 | Multivac | anvil | 208x56x4mm | Sq | |
| C0220C001 | | slicer | 220x45x2mm | D | o/d +/- .05 r |
| C0220C002 | Cardinal | slicer | 220x12.5x1mm | S | 240 teeth |
| C0220J001 | John Lack ALS | core cutter | 220x32x3.17mm | S | |
| C0225C001 | | slicer | 225x25x6mm | D | k/way |
| C0225C001 | | slicer | 225x25x6mm | D | k/way |
| C0225C002 | | slicer | 225x32x2.5mm | S | k/way |
| C0225C002 | | slicer | 225x32x2.5mm | S | k/way |
| C0225K001 | Karl Schnell | segmenter | 225x120mm i/d | | (prev CSEG |
| C0225K002 | Karl Schnell | segmenter | 225x120mm i/d | | |
| C0225K003 | Karl Schnell | segmenter | 225x120mm i/d | | |
| C0225K004 | Karl Schnell | segmenter | 225x120mm i/d | | |
| C0228B001 | Biro Cantrell | slicer | 228.6x15.9x1.5mm | D | |
| C0230E001 | EFA | saw | 230x27x1.2mm | | 64 set teeth |
| C0230E002 | EFA | saw | 230x27x1mm | | 66 Vari pitc |
| C0230E003 | EFA | saw | 230x27x1.2mm | | 66 Vari pitc |
| C0230E004 | EFA | saw | 230x27x1.2mm | | 60 set teeth |
| C0230E005 | EFA | saw | 230x27x1.2mm | | 128 set tee |
| C0230F001 | Freund | saw | 230x52x1mm | | 128 set tee |
| C0230F002 | Freund | saw | 230x52x1mm | | 66 Vari pitc |
| C0230J001 | Jarvis | saw | 230x27x1.6/1mm | | 130 set tee |
| C0230J002 | Jarvis | saw | 230x27x1.75/1mm | | 72 set teeth |
| C0230J003 | Jarvis | saw | 230x27x1.5/1mm | | 69 Vari pitc |
| C0230J004 | Jarvis | saw | 230x27x1.5mm | | 69 Vari pitc |

| | | | | | |
|------------|------------------|---------------|---------------------|----|--------------|
| C0230J004a | Jarvis | saw | 230x27x1.5mm | | 60 Vari pitc |
| C0230L001 | Linco | slicer | 230x32x2mm | | 50edge not |
| C0230L002 | Linco | slicer | 230x32x2mm | | edge notch |
| C0230S001 | Speedex | slitter | 230x25x4mm | D | with boss |
| C0240B001 | Baader | slicer | 240x32x3mm | S | 4 slots 7mn |
| C0240L001 | Linco | slicer | 240x32x3mm | | 4edge notc |
| C0245M001 | Meyn | slicer | 245x32x2.5mm | S | |
| C0245M002 | Meyn | slicer | 245x32x2.5mm | D | |
| C0250B001 | Baader | slicer | 250x22x4mm | S | 30 slots 7m |
| C0250B002 | Baader | slicer | 250x22x4mm | S | 6 slots 7mn |
| C0250C001 | Sollich | slitter | 250x80x1mm | D | 15mm db t |
| C0250C002 | | slicer | 250x40x2mm | D | |
| C0250K001 | Kronen | slicer | 250x25x1mm | D | 48 edge slo |
| C0250M001 | Meyn | slicer | 250x32x2.5mm | S | |
| C0250M002 | Meyn | slicer | 250x32x2.5mm | S | 6 edge slot |
| C0250M003 | Meyn | slicer | 250x32x2.5mm | D | |
| C0250M004 | Meyn | slicer | 250x32x2.5mm | S | 6 edge slot |
| C0250M005 | Meyn | slicer | 250x32x3mm | | |
| C0250M006 | Meyn | slicer | 250x32x3mm | | |
| C0250S001 | Stork | slicer | 250x30/25x2mm | S | |
| C0250S002 | Stork | slicer | 250x30/25x2mm | S | 2 pinholes |
| C0250S002A | Stork | slicer | 250x30/25x2mm | S | no p/hs |
| C0250S003 | Stork | slicer | 250x30/25x2mm | S | scallop+mic |
| C0250S004 | Stork | slicer | 250x30/25x2.5mm | S | 2 pinholes |
| C0250S005 | Stork | slicer | 250x30/25x2.5mm | D | 2 pinholes |
| C0250S006 | Stork | slicer | 250x30/25x2mm | S | 2 pinholes |
| C0250S007 | | slicer | 250x32/28x2mm | D | 6 edge slot |
| C0251E001 | Elton | anvil | 251x39.5x8.2mm | S | |
| C0254C001 | | slicer | 254x25.4x2.5mm | D | |
| C0254L001 | | Log saw | 254x38.15x6.35mm | D | |
| C0255C001 | Cubeking | slicer | 255x44.43x2mm | D | |
| C0260C001 | | slicer | 260x32x3mm | S | |
| C0260I001 | Inotec | slicer | 260x19x2.5mm | D | 3 arms |
| C0260I002 | Inotec | slicer | 260x19x2.5mm | D | 3 arms |
| C0260J001 | John Lack ALS | core cutter | 260x32x3mm | D | |
| C0260M001 | | slicer | 260x32x3mm | S | |
| C0260N001 | Norfo Scanvaegt | slicer | 260x50x3mm | D | |
| C0260S001 | | saw | 260x40x1.5mm | | 140 set tee |
| C0260S002 | Speedex | slitter | 260x25x4mm | D | with boss |
| C0265W001 | Weiler | holder+blades | 265mm dia | | 4 arms |
| C0265W002 | Weiler | Slip bush | 89mm o/d x 41mm i/d | | |
| C0270C001 | | slitter | 270x168.3x1.4mm | D | |
| C0270M001 | Marel | knife | 270x40/30x2mm | D | |
| C0270M001 | Marel | knife | 270x40/30x2mm | D | |
| C0270M002 | Marel | knife | 270x40/30x1.5mm | D | |
| C0270M002 | Marel | knife | 270x40/30x1.5mm | D | |
| C0270S001 | Systemate Numafa | knife | 270x32x3mm | D | |
| C0270S001 | Systemate Numafa | knife | 270x32x3mm | D | |
| C0274G001 | | slicer | 274x45x3.18mm | D | |
| C0274T001 | CFS/GEA Tiromat | anvil | 274.5x50x4mm | D | |
| C0275M001 | Meyn | slicer | 275x32x2.5mm | S | |
| C0280M001 | Maja | slicer | 280x33x1mm | D | |
| C0288M001 | Multivac | anvil | 288x56x4mm | Sq | |
| C0288M002 | Multivac | anvil | 288x56x6mm | Sq | |

| | | | | | |
|------------|---------------------|------------|--------------------|----|-------------|
| C0288M003 | Multivac | anvil | 288x56x4.15mm | Sq | |
| C0290M001 | Multivac | anvil | 290x56x4.15mm | Sq | |
| C0290M002 | Multivac | anvil | 290x56x4mm | Sq | |
| C0295L001 | Linco | slicer | 295x44.5x3mm | | |
| C0300C001 | CRM Matic | slicer | 300x30/28x2mm | D | |
| C0300C001 | CRM Matic | slicer | 300x30/28x2mm | D | |
| C0300C002 | CRM Matic | slicer | 300x30/28x1.5mm | D | |
| C0300C002 | CRM Matic | slicer | 300x30/28x1.5mm | D | |
| C0300C002 | | slicer | 300x30/26x3mm | D | |
| C0300C003 | | slicer | 300x36x2mm | D | |
| C0300C003 | | slicer | 300x36x2mm | D | |
| C0300C004 | Cubeking ?? | slicer | 300x44.43x2.5mm | D | 50 edge slo |
| C0300E001 | Everett | slicer | 300x46x3/1.5mm | S | 7mm p scal |
| C0300E002 | EFA | saw | 300x27x1mm | | random tee |
| C0300F001 | Foodmate | slicer | 300x40x3mm | D | |
| C0300F002 | Foodmate | slicer | 300x40x3mm | D | |
| C0300M001 | Meyn | slicer | 300x32x2.5mm | D | |
| C0300M002 | Meyn | slicer | 300x32x2mm | | |
| C0300N001 | Nock | slicer | 300x33.1x2mm | D | |
| C0300S001 | | slitter | 300x30x2mm | D | |
| C0300S001 | | slitter | 300x30x2mm | D | |
| C0300S001 | | slitter | 300x30x2mm | D | |
| C0300S002 | Stork | saw | 300x30/25x2mm | S | 78 teeth |
| C0300S003 | Systemate Numafa | slicer | 300x32x3mm | D | |
| C0300S004 | Stork | saw | 300x30/25x1.5mm | S | 78 teeth |
| C0300S005 | Stork | saw | 300x30x1.5mm | S | 157 teeth |
| C0300S006 | Stork | slicer | 300x30/25x3mm | D | |
| C0300S007 | Stork | slicer | 300x30/25x3mm | S | |
| C0300S008 | Speedex | slitter | 260x25x4mm | D | with boss |
| C0300X001 | | slicer | 300x41.2x2.5mm | S | |
| C0304C001 | | slicer | 304.8x25.4x2.5mm | D | |
| C0304C002 | Carruthers | slicer | 304.8x54x1mm | D | 2x keyways |
| C0304L001 | | Log saw | 304.8x38.15x6.35mm | D | |
| C0304P001 | Palamatic/KHS Chron | bag knife | 304.8x20/15x3.17mm | S | 150teeth LF |
| C0304P002 | Palamatic/KHS Chron | bag knife | 304.8x20/15x3.17mm | S | 150teeth R |
| C0304P003 | Palamatic/KHS Chron | bag knife | 304.8x20/15x3.17mm | S | 150teeth LF |
| C0304P003T | Palamatic/KHS Chron | bag knife | 304.8x20/15x3.17mm | S | 150teeth LF |
| C0310F001 | Foodmate | slicer | 310x40x3mm | D | |
| C0320C001 | | slitter | 320x60x3mm | S | shpnr both |
| C0320C002 | | slitter | 320x30x2mm | D | |
| C0320C003 | | perforator | 320x30x2mm | D | |
| C0350B001 | Baader | slicer | 350x22x4mm | S | 30 edge slo |
| C0350C001 | | slitter | 350x40x2.5mm | D | |
| C0350F001 | | slicer | 350x35x3mm | S | 12x3mm ec |
| C0350G001 | Gasparin | slicer | 350x25x2mm | S | 80 teeth |
| C0350L001 | Linco | slicer | 350x32x3mm | D | |
| C0350M001 | Magurit | slicer | 350x30x1.5mm | D | |
| C0350M002 | Magurit | slicer | 350x30x1.5mm | D | |
| C0350M002 | Magurit | slicer | 350x30x1.5mm | D | |
| C0350M003 | Magurit | slicer | 350x30x2mm | D | |
| C0350M004 | Magurit | slicer | 350x30x1mm | D | |
| C0350S001 | Stork | slicer | 350mm | | |
| C0354M001 | Magurit | slicer | 354x30.2x1.5mm | D | |
| C0355C001 | Carruthers | slicer | 355.6x54x1mm | D | 2x keyways |

| | | | | | |
|------------|---------------------|--------------|--------------------|----|--------------|
| C0355C002 | Carruthers | slicer | 355.6x54x1mm | D | 24 edge no |
| C0355C003 | Carruthers | slicer | 355.6x54x1mm | S | 2x keyways |
| C0355C003 | Carruthers | slicer | 355.6x54x1mm | S | 2x keyways |
| C0368M001 | Multivac | anvil | 368x56x4mm | Sq | |
| C0370S001 | | slitter | 370x110x6mm | D | |
| C0370S001A | | slitter | 370x110x4mm | D | |
| C0381L001 | | Log saw | 381x38.15x6.35mm | D | |
| C0400J001 | Jarvis | saw | 400x45x1.9/1.3mm | | 68 Vari pitc |
| C0400M001 | Meyn | slicer | 400x32x5mm | S | 12 edge slo |
| C0400S001 | | slitter | 400x30x2mm | D | |
| C0400S001 | | slitter | 400x30x2mm | D | |
| C0400S001 | | slitter | 400x30x2mm | D | |
| C0405K001 | KJ Denmark | saw | 405x30x1.9/1.3mm | | 64 Vari pitc |
| C0406L001 | | Log saw | 406.4x38.15x6.35mm | D | |
| C0410W001 | Weber/Astral/Schiva | slicer | R410mm | | 3.5mm pitc |
| C0420L001 | | slicer | 420x25.4x4mm | S | |
| C0420S001 | | slicer | 420x32x3.5mm | D | |
| C0420S001 | | slicer | 420x32x3.5mm | D | |
| C0440D001 | Dixie Union | slicer | 440mm | | |
| C0450B001 | Bizerba | slicer | 450x48x10.8mm | S | |
| C0450L001 | | slicer | 450x25.4x4mm | S | |
| C0457L001 | | Log saw | 457.2x38.15x6.35mm | D | |
| C0460B001 | Bizerba | slicer | 460x46mm | S | no recess |
| C0460B002 | Bizerba | slicer | 461x46x20.5mm | S | recess both |
| C0460W001 | Weber | slicer | 460mm | | |
| C0460W002 | Weber | slicer | 460mm | | |
| C0460W002A | Weber | holder | | | |
| C0460W003 | Weber | slicer | 460x50x18mm | | |
| C0460W004 | Weber | slicer | 460mm | | |
| C0500C001 | | Log saw | 500x70x4mm | S | |
| C0500C002 | | slicer | 500x28x3.5mm | D | |
| C0500C002 | | slicer | 500x28x3.5mm | D | |
| C0508L001 | | Log saw | 508x38.15x6.35mm | D | |
| C0558L001 | | Log saw | 558.8x38.15x6.35mm | D | |
| C0600F001 | Flieshner | Crush cutter | 600x55x8mm | D | to land |
| C0609L001 | | Log saw | 609.6x38.15x6.35mm | D | |
| C0610L001 | | Log saw | 609.6x68.2x4.7mm | D | |
| C0610P001 | PCM | Log saw | 610x82.5x4.7mm | S | |
| C0662G001 | Grasselli | slicer | 662x55x1.5mm | D | 2 arms |
| C0762L001 | | Log saw | 762x38.15x6.35mm | D | |
| CKSEG2 | Kronen | segmenter | 2 segment | | |
| CKSEG4 | Kronen | segmenter | 4 segment | | |
| CKSEG6 | Kronen | segmenter | 6 segment | | |
| CKSEG8 | Kronen | segmenter | 8 segment | | |
| CKSEG12 | Kronen | segmenter | 12 segment/corer | | |
| CKSEG | Kronen | segmenter | segment | | |
| CKSEG20 | Kronen | segmenter | 20 segment | | |
| CLHOLPLA | Laska | holeplate | 10mm thick | | |
| CLPREPLA | Laska | precutter | 25mm thick | | |
| CPalmia1 | Palmia W330 | precutter | | | |
| CPalmia2 | Palmia W330 | holeplate | 16mm | | |
| CPalmia3 | Palmia W330 | knife | 3 arm | | |
| | | | | | |
| | | | | | |

| | | | | | |
|------------|---------------|---|-------------------------|--|-----------|
| CVEMAG | Vemag | precutter | | | |
| CVEMAG | Vemag | precutter | | | |
| CWeiler1 | Weiler W280 | holeplate | 16mm | | |
| CWolfking1 | Wolfking W400 | precutter | | | |
| CWolfking2 | Wolfking W400 | holeplate | 16mm | | |
| CWolfking3 | Wolfking W400 | knife | 4 arm | | |
| CWolfking4 | Wolfking W250 | precutter | | | |
| CWolfking5 | Wolfking W250 | holeplate | 250x70x18.7mm | | 13mm hole |
| CWolfking6 | Wolfking W250 | knife | 4 arm | | |
| M2010 | Potis | Fixing disc | | | |
| M2060 | Potis | St.steel holder for slicer/deposit inc bowl | | | |
| M2140 | Potis | Bend protection | | | |
| M2220 | Potis | 1 Amp Fuse | | | |
| M2230 | Potis | Potis Transformer for S120/150/180 machines | | | |
| M2251 | Potis | Potis Grey Cable for Transformer for S120/150/180 machines | | | |
| M2351.1 | Potis | Potis Black 1.8m Cable for Adaptor for S120/150/180 machines | | | |
| M4030 | Potis | Cover plate | | | |
| M6010 | Potis | Power connection excl bend protection 2.2m | | | |
| M6050 | Potis | Slicer Bushing including sensor | | | |
| M6060 | Potis | Set screw to fix bushing | | | |
| M6070 | Potis | Blue reed sensor | etched "Meder 4-B F3/1" | | |
| M6200 | Potis | Slicer Reed sensor endpiece complete | | | |
| M7010 | Potis | Switch plate | | | |
| M7020 | Potis | Slicer Knife casing | | | |
| M7030 | Potis | Cover fixing screw | | | |
| M7050 | Potis | Adjustment plate complete | | | |
| M7910 | Potis | Splash guard rubber | | | |
| M7920 | Potis | Splash guard shield | | | |
| M7930 | Potis | M3 Fixing screw | | | |
| M9030 | Potis | M3 Fixing screw | | | |
| PG1503 | Potis | Gyros grill c/w octaganol grease pan for GD5/S | | | |
| PG4405 | Potis | Gyros grill c/w octaganol grease pan for RS MU GD4/S | | | |
| PG4412 | Potis | Gyros grill c/w octaganol grease pan for RS GD4/S | | | |
| PG7403 | Potis | Gyros grill c/w octaganol grease pan for FZ GD4/S Twin | | | |
| PG7503 | Potis | Gyros grill c/w octaganol grease pan for GD5 F/S | | | |
| PM1850 | Potis | S180 plus slicing machine | | | C0080KPOT |
| PM1850 | Potis | S180 plus slicing machine | | | C0080KPOT |
| PT0003 | Potis | Gyros grill Gas knob links for GD4/S | | | |
| PT0006 | Potis | Gyros grill Gas dual burner for GD1/2/3/4/5 including Gas nozzle | | | |
| PT0007 | Potis | Burner Plate including gaskets | | | |
| PT0052 | Potis | Front panel for GD4 grill | | | |
| PT0107 | Potis | Clamp | | | |
| PT0114 | Potis | Gas Knob for gyros grill | | | |
| PT0152 | Potis | Motor for rotating grill including sliding sleeve 3.5W 50 Hz 230V | | | |
| PT0166 | Potis | Top sliding sleeve | | | |
| PT0169 | Potis | Bottom sliding sleeve for GD4 | | | |
| PT0171 | Potis | Bottom sliding sleeve for GD5 25x25mm | | | |
| PT0199.2 | Potis | Spit for F-GD4 / 950mm | | | |
| PT0201.6 | Potis | Spit for F-SGD5 / 1100mm | | | |
| PT0202 | Potis | Spit for GD5 / 1080mm | | | |
| PT0216 | Potis | 120mm dia circular plate/dish | | | |
| PT0218 | Potis | 195mm dia circular plate/dish | | | |
| PT0219 | Potis | 250mm dia circular plate/dish for GD5 | | | |

| | | | | |
|------------|--------|--|-----------------|-------------|
| PT0243 | Potis | Thermocouple new edition 330mm | | |
| PT0288 | Potis | Motor for rotating grill <u>excluding</u> sliding sleeve 3.5W 50 Hz 230V | | |
| PT0291 | Potis | Combustion grate for GD5 Grill dual burner | | |
| PT0293 | Potis | Spit clamp pins | | |
| PT0394 | Potis | Skewer acceptance for F-grills (bottom motor spit holder) for GD4/GD5 | | |
| PT0400 | Potis | Bottom Motor inc rod,gearing,plug | | |
| PT0465 | Potis | Ceran glass for CE5, F CE5, V F CE5 (959 x 224mm) | | |
| RO-080-MIL | Potis | Potis potisvrobot 80kg spit/shaft | | |
| SP1403 | Potis | Gyros grill c/w octaganol grease pan for GD4 | | |
| GSA815S | Roband | Grill 8 slice sandwich/ 490x560x220mm | | c/w high te |
| RRC8 | Roband | Retainer clip | to suit GSA815S | |
| RPGS810 | Roband | PTFE Sheet | to suit GSA815S | |

| info | Matl | Oem pt no |
|----------------------------|-------------|---------------------|
| | 52100 | |
| spanner flats | D2 | 0445-234-506 |
| | 440 | |
| | 420 | |
| | 52100 | |
| | 52100 | |
| 3p/hs | 420 | |
| 3p/hs | 440 | |
| Uncoated | 440B | |
| chambered bore | D2 | 203.24.044 |
| | TC | |
| grub screw | 52100 | |
| vent tube | 440B | |
| | D2 | |
| 1p/h | CS95 | |
| grub screw | 52100 | RE41/04B |
| grub screw | 52100 | |
| grub screw | D2 | RE41/04BD2 |
| grub screw | D2 | |
| | O1 | |
| 2 keyways | | |
| | M2 | |
| cup point self colour | C | C1000 |
| 90deg inc | D2 | |
| 60d radius .1mm | D2 | N018.000000.00.05.0 |
| 60d radius .1mm | O1 | |
| 60d radius .1mm | O1 | |
| 60d radius .1mm | O1 | |
| 30d radius .1mm | D2 | |
| 60d radius .1mm | D2 | |
| 60deg sharp | O1 | |
| 80deg sharp | D2 | |
| 4p/hs | M2 | |
| Radius edge | D2 | S7324/340 |
| | D2 | |
| | D2 | |
| | M2 | |
| Tin ctd | 440 | |
| | 52100 | 18142614 |
| 3p/hs | M2 | |
| reces one side | D2 | C51010166 |
| Tin ctd +4p/hs | O1 | 70173409 |
| | D2 | |
| | M2 | |
| boss both sides | D2 | C50060117 |
| | M2 | |
| | CS95 | H2000 |
| | 420 | |
| 4p/hs,2x arrows lase | 420 | 8.101.040.541 |
| 4p/hs,2x arrows lase | 440 | 8.101.040.541 |
| 4p/hs,2x arrows lase | 440 | 8.101.040.541 |
| 3csk p/hs,recess back edge | | |

| | | |
|---------------------|--------|----------------------------|
| grub | D2 | |
| grub | 52100 | |
| | D2 | |
| | M2 | |
| D Bore | 440 | |
| 2p/hs | 440 | |
| 1p/h | CS95 | |
| 1p/h | O1 | |
| 1p/h | 52100 | |
| 1p/h | 420 | |
| c/w SKF6 Bearing | 420 | |
| c/w SKF6 Bearing | 440 | |
| 40d to land | D2 | |
| | M2 | |
| 1p/h | CS95 | 20074703 |
| 1p/h | M2 | |
| | 52100 | RE41/01 |
| grub screw | 52100 | 7000-00766 |
| ew,chambered bore | 52100 | 7000-00766B |
| grub screw | D2 | 7000-00766D2 |
| grub screw | 52100 | 7000-00766S1 |
| grub screw | 52100 | 7000-00766S2 |
| grub screw | 52100 | 7000-00766S |
| | D2 | RE41/01s |
| | C | RE41/02A |
| holder C0062AHOL1 | C | RE41/02As |
| c/w pin+grub screw | | RE41/02B |
| grub screw | | RE41/02B |
| c/w pin+grub screw | | RE41/02B RevJ 5270-0061A-J |
| grub screw | | RE41/02BS |
| grub screw | | RE41/02BS |
| brass head | C | C1000 |
| brass head | C | C1000 |
| brass head | C | C1000 |
| brass head | C | C1000 |
| suit C0065BHOL | C | SPR45-25 |
| suit C0065BHOL | C | RE41/02B SPR45-25 |
| | C | |
| 1p/h | CS95 | 20597801 |
| 2 keyways | M2 | 372192 |
| 2 keyways | M2 | 372192 lapped |
| 2 keyways | CPM10V | |
| | 420 | |
| 3x3.5mm tapped | D2 | |
| 3x3.5mm tapped | D2 | |
| | 52100 | |
| | D2 | |
| | 52100 | |
| grub screw onto spl | 52100 | |
| grub screw onto spl | D2 | |
| | M2 | |
| grub | | |
| | 52100 | |
| c/w pin/grub screw | | |

| | | |
|----------------------|-------|--------------------|
| | C | |
| | 52100 | |
| D Bore | 440 | Don200/CF238/AD732 |
| D Bore | 440 | Don200 |
| D Bore | 420 | |
| | | Don200 |
| Plastic handle | | |
| Plastic handle | | |
| 3p/hs | 440 | |
| | 52100 | |
| | 52100 | |
| Uncoated | 440B | |
| Tin coated | 440B | |
| u/cut one side | D2 | |
| radius | 420 | 2-10870 |
| to sharpeners | M2 | |
| to sharpeners | M2 | |
| | D2 | 122.012004 |
| | D2 | |
| | 52100 | |
| | D2 | |
| | 52100 | |
| grubscrew | 52100 | 11.551.9357.04 |
| grubscrew | 52100 | |
| keyway,grubscrew | D2 | 2039786 |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| nifetec £3.60 4 days | 52100 | |
| | C | |
| | C | |
| 60d radius | D2 | |
| | 420 | |
| | C | |
| to sharpeners | 420 | |
| to sharpeners | 420 | |
| to sharpeners | 440 | |
| 3p/hs, keyway | 440 | |
| | D2 | |
| 60d sharp | D2 | |
| | M2 | 26014 |
| | M2 | |
| | D2 | |
| non locking | D2 | |
| non locking | D2 | |
| | D2 | |
| self locking | D2 | 2042.4059.4 |
| self locking | D2 | |
| self locking | 52100 | 370122020C |

| | | |
|------------------|-------|--|
| c/w plastic hose | | |
| c/w steel hose | | |
| c/w plastic hose | | |
| 60d sharp | 52100 | |
| 60d sharp | D2/D3 | |
| 60d sharp | 52100 | |
| 60d sharp | D2/D3 | |
| 60d .1mm radius | D2/D3 | P42103-1 |
| 60d .1mm radius | D2/D3 | |
| 60d .13mm radius | D2/D3 | |
| 60d .13mm radius | D2/D3 | |
| 45d radius .18mm | D2 | |
| 30d .1mm radius | 52100 | |
| 30d .1mm radius | D2 | |
| 60d .13mm radius | 52100 | 229002 |
| 60d .1mm radius | D2/D3 | 229002 |
| 60d .13mm radius | 52100 | 229004 |
| 45d .1mm radius | 52100 | 229004/200706245C |
| 45d .1mm radius | D2/D3 | 229002/200706245X |
| 60deg inc sharp | M2 | 2460102003-02 |
| 60d .1mm radius | D2 | 79.915.2010.30/10.604.5358/200725260 |
| 60d .1mm radius | D2 | 79.915.2010.30/10.604.5358 |
| 60d .04mm Radius | D2 | 79.915.2010.30/10.686.6869 |
| 60d .1mm radius | L3 | 79.915.2010.30/10.604.5358/200725260 |
| 45d .1mm radius | D2 | 79.915.2010.30/10074011/200705245 |
| 60d .04mm Radius | D2 | 79.915.2011.29 |
| 60d .04mm Radius | D2 | |
| 45d sharp | D2 | |
| 60d .04mm Radius | D2 | 239B08012301B |
| 60d .04mm Radius | D2 | 79.915.2011.10/10.690.4803 |
| 60d sharp | D2 | 79.915.2011.17/11.551.9161.43 |
| 60d .04mm Radius | D2 | 79.915.2011.17/11.551.9161.43 |
| 30d .04mm Radius | D2 | 79.915.2010.30s |
| 30d .1mm Radius | D2 | 79.915.2010.30/10.686.6869/200725230 |
| Tin ctd | | |
| 30d sharp | D2 | 79.915.2011.17s |
| 30d .2mm Radius | L3 | 10.686.6869/10074011 |
| 30d .2mm Radius | L3 | 10.686.6869/10074011 |
| 30d .2mm Radius | D2 | 10.686.6869/10074011 |
| 30d .2mm Radius | D2 | 10.686.6869/10074011 |
| 45d .2mm Radius | D2 | 10.686.6869 |
| 60d .04mm Radius | D2 | |
| 60d .1mm radius | 420 | 79.915.2010.30s/10.604.5358s/200725260 |
| 60d .1mm radius | 440 | 79.915.2010.30s/10.604.5358s/200725260 |
| 60d .04mm Radius | 420 | |
| 60d .04mm Radius | 440 | |
| to sharpeners | M2 | |
| | | (BEA19x5x6S) |
| | | (PIN6DIAX7.3) |
| powerlock | | |
| 60d sharp | D2/D3 | |
| 60d sharp | D2/D3 | |
| 60d sharp 2p/hs | D2/D3 | |
| 60d radius .13mm | D2/D3 | |

| | | |
|------------------|-------|-----------------------------|
| 60d radius .1mm | D2 | |
| 60d sharp | D2/D3 | |
| 60d sharp | D2/D3 | |
| 45d radius .18mm | D2 | |
| 60d sharp | D2 | |
| 30d radius .1mm | O1 | 20 080 50 30 C |
| 30d radius .1mm | O1 | 20 080 50 30 C |
| 30d radius .1mm | D2/D3 | 20 080 50 30 X |
| 60d radius .1mm | L3 | 20 080 50 60 C |
| 60d radius .1mm | L3 | 20 080 50 60 C |
| 60d radius .1mm | D2/D3 | 20 080 50 60 X |
| 60d radius .1mm | D2 | 20 080 50 60 X |
| 45d radius .1mm | L3 | 20 080 50 45 C |
| 45d radius .1mm | D2/D3 | 20 080 50 45 X |
| | | 6802-2Z |
| | D2 | |
| u/cut to recess | D2 | |
| 60deg inc sharp | D2 | 2460102003-02 |
| D Bore | 440 | Don300/Don400/Don-Pro/AD733 |
| | D2 | |
| | 420 | |
| 3p/hs, keyway | M2 | |
| 3p/hs, keyway | M2 | |
| 2k/ws | 420 | |
| | 52100 | |
| | 440 | |
| | 52100 | 7599629 |
| | D2 | 7599629 |
| Chamfered edges | 440 | |
| 3p/hs, keyway | 440 | 0010-0001 |
| 3p/hs, 3k/ways | 440 | M2020/M2021 |
| 3p/hs, keyway | 440 | |
| 4p/hs, 3k/ways | 440 | 0013-4080 M2020/M2021 TG80P |
| 3p/hs, 3k/ways | 440 | 0080-1083 80U |
| 4p/hs, 3k/ways | 440S | M2020 0002-0700 |
| 4p/hs, 3k/ways | 440S | M2020.1 Satin |
| 3p/hs, keyway | 440 | 0010-0008 |
| 3p/hs, 3k/ways | 440 | M2030 |
| 3p/hs, 3k/ways | 440 | |
| 4p/hs, 3k/ways | 440 | 0002-0701/0013-4081 TZ80-P |
| 3p/hs, 3k/ways | 440 | |
| 3p/hs, 3k/ways | 440 | M2030 |
| 3p/hs, 3k/ways | 440 | M2030 satin |
| 3p/hs, keyway | 440 | Thin |
| 3p/hs, 3k/ways | 440 | |
| D Bore | 440 | Don300/Don400/Don-Pro/AD733 |
| D Bore, keyway | 440 | DX500 |
| D Bore | 440 | Don300/Don400/Don-Pro/AD733 |
| D Bore | 440 | |
| 2 flats on I/d | 440 | |
| D Bore | 440 | |
| 3p/hs | 440 | 0010-001/3015-1080 |
| 3p/hs | 440 | |
| 3p/hs, 3k/ways | 440 | |

| | | |
|--------------------|-----|--|
| 3p/hs, 3k/ways | 440 | |
| 3p/hs, keyway | 440 | 0080-1080 TG80-C |
| 3p/hs, keyway | 440 | 0010-1082 |
| 3p/hs, keyway | 440 | 0080-1082/3015-1082 |
| 3p/hs, keyway | 440 | 0013-1080/0010-1080/0025-1080/3015-1080 GG80 |
| 3p/hs, keyway | 440 | 0080-1081/0010-1081 PZ80-C |
| 3p/hs, keyway | 440 | |
| 3p/hs, keyway | 440 | |
| 3p/hs, keyway | 440 | 0013-1081/3015-1081 |
| D Bore | 440 | 20067 |
| D Bore | 440 | 20067s |
| D Bore | 440 | |
| 3p/hs, keyway | 420 | |
| plain | | |
| plain | | |
| serrated | | (no blades) |
| | | |
| 2x plain | | S180 plus PM1850 |
| 2x serrated | | S180 plus PM1850 |
| 2x plain | | S180 plus |
| 2x plain | | S120 plus |
| 2x plain | | S150 plus |
| csk allen screw | | |
| | | 0012-0021 |
| | M2 | |
| 2 keyslots | 440 | 12998-0003 |
| 2 keyslots | 440 | 12998-0005 |
| 80edge slots | 420 | |
| 80edge slots | 440 | |
| 2csk p/hs | D2 | |
| c/w holder 3p/hs | 420 | 700A145K/700B105s |
| 3xM5x41.5mm pcd | | 700A145K/700B105s |
| 3xM4x40mm pcd | | 700A145K/700B105s |
| 6xMxmm pcd | | 700A145K/700B105s |
| 3p/hs | 420 | 700A145K/700B105s |
| 3p/hs x 41.5mm pcd | 440 | 700A145K/700B105s |
| 3p/hs x 42mm pcd | 440 | 700A145K/700B105s |
| c/w hub swaged | 420 | 700A145K/700B105s |
| 2 k/ws | 420 | 700A145K/700B105s |
| c/w hub 3p/hs | 440 | 700A146Ks |
| 3p/hs x 41.5mm pcd | 420 | 700A146Ks |
| 3p/hs | 420 | 700A146Ks |
| 3p/hs | 440 | 700A146Ks |
| 3p/hs x 42pcd | 440 | 700A146Ksspecial |
| c/w hub swaged | 420 | 700A146K |
| 2k/ws | 420 | 700A146K |
| c/w hub swaged | 420 | 700B106 |
| 2k/ws | 420 | 700B106 |
| c/w holder 3p/hs | 440 | |
| 3xM4x32mm pcd | | |
| 3p/hs | 440 | |
| 3p/hs | 440 | |
| c/w holder 3p/hs | 440 | |
| c/w hub swaged | 420 | |

| | | |
|---------------------|-------|---|
| 3p/hs | 440 | |
| 6p/hs x mm pcd | 440 | |
| 3p/hs | 420 | 700A146Ksp |
| 3p/hs x 41.5mm pcd | 440 | 700B105ss |
| 6p/hs x 41mm pcd | 440 | |
| 3p/hs x 41mm pcd | 440 | |
| 3p/hs | 440 | 8469015/8377240 |
| 6p/hs | 440 | 8494989-01 |
| 3p/hs | 420 | |
| 6p/hs | 420 | 3000068831 |
| 3p/hs | 420 | |
| non locking | | |
| | 420 | |
| | 52100 | 224B090432010 CG2 |
| 3p/hs | 440 | |
| 3p/hs | 440 | |
| | 420 | |
| u/cut bevel on side | D2 | 4669 |
| u/cut bevel on side | M2 | 4669 |
| 16 nothes in i/d | 420 | |
| 1/2 rnd keyway | D2 | |
| 5/16" d.b | 52100 | |
| app 30deg s.b | D2 | |
| s.bevel, 2p/hs | 420 | |
| | D2 | |
| 1p/h | 420 | |
| | 52100 | |
| | 52100 | 128401/0309106 |
| 3p/hs | 420 | 371-500-01 |
| 3p/hs | 440 | 371-500-01 |
| 3p/hs | 420 | 300-500-017 / 371-600-017 |
| 3p/hs | 440 | 300-500-017 / 371-600-017 |
| | 420 | |
| 4p/hs | 420 | |
| 4p/hs | 440 | |
| | 420 | |
| | 440 | |
| round keyway | 440 | SNF-06.02.02 |
| D Bore | 440 | |
| D Bore, 1p/h | 440 | 0013-3090/3015-3090/0010-3090/0080-3090 |
| D Bore, 1p/h | 440 | 0013-3091/0010-3091 |
| 3p/hs, keyway | 440 | |
| 3p/hs, keyway | 440 | |
| 2p/hs | 440 | |
| 2p/hs | 440 | |
| 1p/h | 440 | 2140587 / 2126864 |
| 1p/h | 440 | |
| D Bore | 440 | |
| D Bore | 440 | |
| 3p/hs | 420 | 79.915.2009.00 105808701 |
| 3p/hs | 440 | 79.915.2009.00 105808701 101200 |
| 3p/hs + Tin Ctg | 420 | 79.915.2009.00+Tin |
| 3p/hs | 420 | 79.915.2009.01 |
| 6p/hs | 420 | 79.915.2009.42 |

| | | |
|---------------------|-----|-------------------------------|
| 6p/hs | 440 | 79.915.2009.42 |
| 6p/hs | 420 | 79.915.2009.41 |
| 6p/hs | 440 | 79.915.2009.41 105808754 |
| 6p/hs | 420 | 79.915.2009.01 |
| 6p/hs | 440 | 79.915.2009.01 |
| 3p/hs | 420 | 79.915.2009.10 |
| 3p/hs | 420 | |
| 3p/hs | 420 | |
| 3p/hs | 420 | |
| 3p/hs | D2 | 79.915.2009.00 14.05.000030.0 |
| 3p/hs | D2 | 79.915.2009.01 |
| 6p/hs | D2 | 79.915.2009.42 |
| 6p/hs | D2 | 79.915.2009.41 105808754 |
| 6p/hs | 420 | 79.915.2009.90 |
| 6p/hs | 440 | 79.915.2009.90 |
| 3p/hs | 420 | |
| | 440 | |
| 3p/hs | 440 | 14.05.0000052.0 |
| recess opposite | D2 | 131937 |
| recess one side | D2 | A80032/188303 |
| 3x tapped p/hs | D2 | 133526 |
| 4xcsk holes | D2 | M 101931 |
| | D2 | 128401/0309106 |
| 3p/hs,8 edge slots | 440 | |
| 3screws+grubscrew | 304 | |
| c/w hub swaged | 420 | |
| 150 edge slots | 420 | 42265 |
| 3p/hs | 440 | 550 A1 0025 |
| 6p/hs | 440 | 550 A1 0063 |
| 3p/hs | 440 | |
| | 420 | |
| c/w swaged hub | 420 | |
| 3p/hs | 440 | |
| 3screws+grubscrew | 304 | |
| 2p/hs,8 edge slots | 440 | |
| 3p/hs | 420 | |
| 3p/hs | 440 | |
| 3p/hs | 440 | 3670920113431s |
| 3screws,grubscrew | | 3670920113431ss |
| | 440 | 3670920113431 |
| | 420 | |
| | 420 | |
| | 420 | |
| D Bore | 440 | Don350/DonPro |
| D Bore | 440 | Don350/DonPro |
| 4p/hs | D2 | |
| 4p/hs | M2 | |
| 4xc/bored holes | D2 | 4666 |
| u/cut bevel on side | M2 | 4666 |
| D Bore | 420 | |
| D Bore | 440 | |
| 2 keyways,1p/h | 440 | |
| 2 keyways,1p/h | 440 | |
| D Bore | 440 | |

| | | |
|-------------------|---------|---------------------|
| | 440 | |
| 3x tapped p/hs | 420 | |
| 3p/hs | L3 | |
| 3p/hs | D2 | |
| 3p/hs | L3 | |
| 3p/hs | D2 | |
| 2p/hs | D2 | |
| | M2 | |
| | M2 | |
| | D2 | |
| | C | |
| | D2 | |
| 3p/hs | M2 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| | D2 | |
| | TC | 22 MAX 326-1 |
| | TC | 215 FCB 11 |
| 2 keyways,1p/h | 440 | 0013-2100/3467-2100 |
| 2 keyways,1p/h | 440 | 0013-2101/3467-2101 |
| 2 keyways,1p/h | 440 | |
| D Bore, 2p/hs | 440 | |
| D Bore, 2p/hs | 440 | |
| 2 p/hs | 440 | |
| 2 p/hs | 440 | |
| Sq Bore | 440 | |
| Sq Bore, 1p/h | 440 | |
| Sq Bore, 1p/h | 440 | |
| | | |
| | 440 | |
| | 440 | 79.915.2008.00 |
| | 440 | |
| | 440 | VMKR 06/A ON |
| | 440 | |
| square keyway | D2 | |
| | 440 | 509293 |
| | 440 | |
| | ASP2023 | |
| | 440 | 629326 |
| | 440 | 561611 |
| Radius edge, 1p/h | D2 | M10831/195 |
| 6p/hs | 440 | 3000068836 |
| 6p/hs | 440 | |
| 6p/hs | 440 | |
| 6p/hs | 440 | |
| 3x M5 holes | 420 | |
| | 440 | |
| | 420 | |
| 16 nothes in i/d | 420 | |
| 16 nothes in i/d | 440 | |
| | 420 | 410223 FB86997 |
| 8 nothes in i/d | 420 | |
| recess thks | 420 | |

| | | |
|---------------------|---------|--------------------------------|
| recess thks | 420 | |
| | 420 | 150002 FB133343 |
| | D2 | |
| | M2 | |
| | ASP2023 | |
| | M2 | |
| keyway | 420 | W50C-4-1-04 |
| | 440 | |
| 5.5mm d.bevel | 440 | 79.915.2008.03 |
| | D2 | 79.915.2008.03 |
| | | 79.915.3012.11 |
| | 440 | |
| 8mm d.bevel | 440 | 79.915.2008.03 |
| 6p/hs | 440 | |
| keyway | 420 | |
| 3p/hs | 440 | |
| 4p/hs | 420 | |
| 4p/hs | 440 | |
| app 30deg s.b | D2 | |
| | D2 | |
| | 440 | |
| | 440 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| to sharpeners | | |
| | D2 | B149437-1 |
| Tin Ctd | D2 | B149437-1/T5 |
| | 440 | |
| | 440 | 79.915.3016.00 |
| to sharpeners | M2 | |
| | 440 | 79.915.3016.00? |
| | 440 | 330 100559 |
| | D2 | 543A016S01/38975/8335380 |
| | 52100 | |
| 2xgrubscrews | D2 | 188617 |
| grubscrew | D2 | |
| | 440 | 543A016S01/38975 |
| | D2 | |
| | 440 | 79.915.3016.00/8368258/9849014 |
| | D2 | 543A016S01s/38975s/8335380s |
| | O1 | |
| 3p/hs | 440 | 8368258/8469014/85764 |
| 6p/hs | 440 | 8542425 |
| 4 csk p/hs | 440 | 4637953 |
| | 52100 | |
| | 52100 | |
| | M2 | |
| | 52100 | |
| 3c/bored holes | D2 | |
| 4p/hs,2x arrows las | 440 | 2005696561 |
| 4p/hs,2x arrows las | D2 | 2005730045 / 2005696561+Tin |
| 2p/hs,2x arrows las | D2 | 2005932676 |
| 3p/hs | 420 | |

| | | |
|---------------------|-------|--------------------------|
| | 420 | |
| D-bore | 440 | |
| D-bore | 420 | |
| 4csk p/hs | 420 | |
| D-bore | 420 | 5151778 |
| D-bore | 440 | 5151778 |
| | 440 | (cb19306) |
| | 420 | |
| | 420 | |
| 2 keyways,1p/h | 440 | |
| | 440 | T0062581 |
| | 420 | 267471 |
| | 440 | |
| 1p/h | 440 | |
| 6p/hs | 440 | |
| 6p/hs | 440 | |
| 1p/h | 440 | 0990.IDC0.058.00 |
| | 440 | 3943374 |
| | 440 | |
| | 440 | 629925 |
| | M2 | |
| | 440 | 555710 |
| 4 csk p/hs | M2 | 4637953 |
| 4 p/hs | M2 | 2120558/2120568 |
| 4p/hs | D2 | 6256609F |
| 4 csk p/hs | M2 | 6255590 |
| 4 p/hs | D2 | 6256609F |
| 3c/bored p/hs | D2 | |
| | D2 | 543A016S01/38975/8335380 |
| 4 k/ws,1p/h | 420 | |
| 4 k/ws,1p/h | 420 | |
| 4 k/ws,1p/h | 420 | |
| 2p/hs | 420 | O2243 |
| 2p/hs + Tin | 420 | O2243+Tin |
| | D2 | |
| | L3 | |
| | M2 | |
| | 440 | |
| 3 p/s | 440 | |
| 3p/hs | 420 | |
| D-bore | 420 | |
| 2 keyways,2p/hs | 440 | 50912150W |
| 2 keyways,2p/hs | 440 | |
| /hs,36 edge notches | 440 | |
| 2p/hs | 440 | 94.01.1002 |
| 6x M5 p/hs | 420 | 1497316 |
| 6x M5 p/hs | 440 | 1497316 |
| 6x M5 p/hs | 440 | 1497359 |
| | 52100 | |
| D bore | 440 | |
| D bore | 440 | |
| 3p/hs | 440 | |
| 2x k/ws | 440 | |
| | | |

| | | |
|----------------------|-------|-------------------------------|
| 2p/hs,2 keyways | 440 | 0013-2120/3015-2120 |
| 2p/hs,2 keyways | 440 | E00121 0013-2120/3015-2120 |
| 2p/hs,2 keyways | 440S | Dick121 3467-2120/0080-2120 |
| 2p/hs,2 keyways | 440 | 0013-2121/3015-2121/3467-2121 |
| 2 keyways | 440 | |
| 2p/hs,2 keyways | 440 | E00122 |
| 2p/hs,2 keyways | 440 | Dick122 |
| 2 p/hs | 440 | |
| 2 p/hs | 440 | |
| D Bore, 2p/hs | 440 | |
| D Bore, 2p/hs | 440 | |
| 2 keyways | 440 | |
| 2x plain blades | | 120175 |
| 2x serrated blades | | 120175/214329 |
| hex bore | 420 | |
| 1p/h | 440 | 0990.IDC0.053.00 |
| hex bore | 420 | |
| 4p/hs,20 edge slots, | 440 | |
| 0.5mm land | D2 | |
| 3p/hs | 420 | |
| 3p/hs | 440 | |
| 2 keyways | 420 | |
| 2 keyways | 420 | |
| | 420 | |
| | 52100 | |
| 4p/hs | D2 | |
| 4p/hs | M2 | |
| | 52100 | |
| keyway | M2 | |
| 4p/hs | 420 | 03C001 |
| | 440 | |
| | 440 | |
| | 420 | |
| back bevel | 440 | 662526 |
| | 440 | 509406 |
| microteeth | 440 | 3960622 |
| | 440 | |
| recess,1/2 rnd k/wa | D2 | ZE0363131 |
| hex bore | 420 | |
| 4p/hs | D2 | |
| 16 nothes in i/d | 420 | 45429 / 25861 |
| hex bore | 420 | |
| hex bore | 420 | |
| 3csk p/hs | 420 | |
| | 420 | |
| | 52100 | |
| | 52100 | |
| | D2 | |
| | D2 | |
| | 52100 | |
| | D2 | |
| 3 arm | O1 | E 130 |
| | 52100 | |
| | 52100 | 128399 |

| | | |
|-------------------|-------|------------|
| | D2 | |
| | D2 | 128399s |
| 2 p/hs | 440 | |
| | 420 | |
| | 420 | |
| | 420 | |
| | 420 | |
| Radius edge, 1p/h | D2 | M10831/163 |
| | D2 | 129831 |
| 1/2 rnd k/way | D2 | ZE0363132 |
| sq i/d | D2 | 56 Type N |
| boss each side | M2 | |
| | 52100 | |
| | 52100 | |
| keyway | 52100 | |
| keyway | 52100 | |
| keyway | 420 | |
| keyway | 52100 | |
| keyway | D2 | |
| keyway | D2 | |
| keyway | 52100 | |
| keyway | D2 | |
| keyway | M2 | |
| | 420 | 2102904 |
| 2 keyways | 440 | |
| 2 keyways | 440 | |
| 2 p/hs | 440 | |
| 2 p/hs | 440 | |
| 4 p/hs | 440 | |
| 3 p/hs | 440 | 0013-4140 |
| 3 p/hs | 440 | |
| 2 p/hs | 440 | |
| | CS95 | |
| | 440 | |
| 3p/hs | | |
| u/cut both sides | D2 | 310412s |
| | O1/L3 | B146967-1 |
| hex bore | 420 | |
| 3p/hs | D2 | |
| 3p/hs | M2 | |
| keyway | D2 | |
| keyway | M2 | |
| keyway | 420 | |
| keyway | 440 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| | 52100 | |
| polish bevel | 52100 | |
| | D2 | |
| polish bevel | D2 | |
| | D2 | |
| | 440 | |
| | 440 | |

| | | |
|----------------------|--------|--------------------------|
| 4 k/ws,1p/h | M2 | KRH15 16062 |
| 6p/hs | 440 | 79.915.2009.32 105808511 |
| 6p/hs + Tin | 440 | 79.915.2009.32+Tin |
| 6p/hs | 440 | 79.915.2009.31 |
| 6p/hs + Tin | 440 | 79.915.2009.31+Tin |
| hex bore | 420 | |
| hex bore | 420 | |
| 2x flats in i/d | 420 | 4486085 |
| 2x flats in i/d | 440 | 4486085 |
| keyway | 420 | |
| microteeth,2p/hs | 440 | 37256-6740 |
| | D2 | 128401 |
| | 52100 | 128216 |
| 6p/hs | 420 | |
| 6p/hs | 440 | |
| | 420 | 1038158 |
| 4 k/ws,2p/hs | CS95 | |
| 1k/w,4p/hs | D2 | |
| 3p/hs | 440 | |
| 6p/hs | 440 | |
| keyway | D2 | |
| keyway | 52100 | |
| | CS95 | |
| 6p/hs | 440 | |
| 6p/hs,4 edge slots | 440 | |
| 6p/hs,4 edge slots | 440 | |
| 3p/hs | 440 | |
| 6p/hs,scallop edge | 440 | |
| 6p/hs,scallop edge | 440 | |
| 3p/hs | 440 | 6195397 |
| 8 edge slots | 440 | |
| keyway | 1.4310 | |
| keyway | 420 | |
| | 440 | |
| | 440 | |
| | 440 | 79.915.2008.01 |
| | 440 | |
| selflocking | D2 | |
| 6p/hs | 440 | |
| 4p/hs | D2 | |
| 4p/hs | M2 | |
| | 440 | |
| 4 k/ws,2p/hs | CrV | |
| 4 k/ws,2p/hs | CrV | |
| sq bore | CrV | 1023380 |
| sq bore,2p/hs,20 clc | CrV | 1023430 |
| sq bore,2p/hs,20 clc | CrV | 1023430 |
| 4 p/hs,20 closed slo | CrV | |
| 3p/hs | 440 | |
| 6xM5 | 440 | 79.915.3010.10 |
| 4 tapped p/hs | 420 | |
| 6xM5 | 440 | 79.915.3010.10 |
| | 420 | |
| 3csk p/hs | 420 | |

| | | |
|--------------------|-------|------------------|
| to land | 420 | |
| 1p/h | 440 | 0990.IDC0.003.00 |
| | 440 | |
| Radius edge, 1p/h | D2 | M10831/162 |
| both sides | D2 | |
| | 420 | |
| | 440 | |
| 6p/hs | 420 | S/S126074 |
| 1p/h | 440 | 0990.IDC0.002.00 |
| 1p/h | 440 | 0990.IDC0.007.00 |
| 6xM5 | 440 | |
| | 440 | 518391 |
| 2p/hs | 440 | 570971 |
| | 440 | 3930331 |
| | 440 | 3943357 |
| bi hex bore | 420 | WT190-0116175 |
| | 440 | 94.01.0131 |
| | 440 | |
| 28mm db + shpnr | D2 | |
| 10mm db + shpnr | D2 | |
| | 440 | 700.0131 |
| 12deg inc d.bevel | 420 | |
| 20deg inc d.bevel | 420 | |
| 4p/hs | 440 | 16926 |
| 4p/hs,8 edge slots | 440 | |
| | 440 | |
| hex bore | 420 | |
| hex bore | 440 | |
| | D2 | 128587 |
| | 52100 | 128217 |
| | D2 | 129874 |
| | 52100 | 129873 |
| D bore | 52100 | |
| | 440 | |
| | 440 | 94.01.0333 |
| 2p/hs | 440 | 3868457 |
| | 440 | 94.01.0142 |
| backbevel | 440 | 94.01.0143 |
| | 440 | 94.01.0148 |
| | 440 | 94.01.0151 |
| 6csk p/hs | 440 | 94.01.1760 |
| 6csk p/hs c/w hub | 440 | 94.01.1725 |
| 6csk p/hs | 440 | 94.01.1757 |
| 8 indent slots | 440 | 94.01.0154 |
| 8 indent slots | 440 | 94.01.0154 |
| | 420 | |
| | 440 | |
| microteeth | 440 | |
| D-bore | 420 | |
| | 440 | |
| | 440 | |
| 5p/hs | D2 | |
| 5p/hs | D2 | |
| 2.5mm | 420 | T slicer |

| | | |
|----------------------|-------|---------------------------|
| keyway | 420 | |
| 2 p/hs | 440 | |
| mm | 420 | T slicer |
| | 440 | T00625954 |
| 1p/h | 440 | 0990.IDC0.001.00 |
| 1p/h | 440 | |
| 1p/h | 440 | |
| 1p/h | 440 | |
| 1p/h | 440 | 0990.IDC0.068.00 |
| keyway | 440 | |
| keyway | 440 | |
| 4 arm | | SY2004BKH |
| | | SY2004BKH insert |
| | 440 | 3857457 |
| 6 edge slots | 440 | 4050241 |
| | 440 | |
| | D2 | 129833 |
| | 52100 | 129832 |
| 5p/hs | 440 | |
| 5p/hs | 440 | 3-85-4 |
| 5p/hs | 440 | 3-6845-2 |
| D bore | 420 | HS2000 FENDO202 (ss20425) |
| Hex Bore,4p/hs | 52100 | YY11376 |
| Hex Bore,3p/hs | 52100 | YY11376 |
| D bore | 420 | 002359-02 |
| D bore | 440 | 002359-02 |
| 2x k/ws | 420 | |
| | 420 | 1023203 |
| 2 flats on I/d | M2 | VS6014L |
| 2 flats on I/d | M2 | VS6014R |
| 6xM5 | 440 | 79.915.3010.11 |
| keyway | 420 | |
| | 420 | |
| 21mm sb+shpnr | D2 | |
| | 420 | |
| | 440 | |
| | 420 | |
| | 440 | |
| 5 arm, 6p/hs | | I493994947785 |
| 3 arm, 5p/hs | | KS2253BKHS |
| 6 arm, 5p/hs | | KS2256BKHSSS |
| 3 arm, 6p/hs | | KS2253BKHSP |
| | 440 | |
| sq bore,2p/hs,30 clc | CrV | SB230LE / 089822 |
| sq bore,2p/hs,30 clc | CrV | 7768483/2170569 |
| sq bore,2p/hs,30 clc | CrV | |
| sq bore,2p/hs,noise | CrV | 003 006 614 |
| sq bore,2p/hs,30 clc | CrV | |
| 28 closed slots | CrV | |
| 2p/hs,30 closed slot | CrV | XCS0255 |
| sq bore,boss one sic | CrV | |
| sq bore,boss one sic | CrV | 1023387 |
| sq bore,boss one sic | CrV | 1023299 |
| sq bore,boss one sic | CrV | 1023299s |

| | | |
|------------------------|--------|--------------------------|
| sq bore, boss one side | CrV | 1023299s |
| | 440 | T0062591 |
| | 440 | T0062597 |
| Radius edge, 1p/h | D2 | M11075/125 |
| | 440 | |
| 1p/h | 440 | T00625871 |
| 1p/h | 440 | |
| 1p/h | 440 | |
| 6csk p/hs | 440 | 94.01.0188 |
| 6csk p/hs | 440 | 94.01.0188s |
| keyway | h+t420 | 2115534/S71943 |
| keynotch | 440 | |
| 4csk p/hs, k/w | 420 | |
| 1p/h | 440 | 0990.IDC0.006.00 |
| 1p/h | 440 | 0990.IDC0.035.00 |
| 1p/h | 440 | 0990.IDC0.047.00 |
| 1p/h (not reqd) | 440 | 0990.IDC0.035.00s |
| | 440 | 0990.IDC0.047.00 |
| | 440 | 0990.IDC0.056.00 |
| | 440 | 507547 |
| | 440 | 4R504237 |
| | 440 | 4R504237s |
| | 440 | |
| | 440 | |
| | 440 | |
| 4x thin edge slots | 440 | 596746 |
| | 440 | |
| 3x M5 tapped holes | 440 | |
| | 420 | |
| 6p/hs | D2 | |
| keyway | 420 | (cb20208) |
| | 420 | |
| 3p/hs, keyway | | 71401-000030 |
| Multi p/hs, keyway | | 71401-000030s |
| 20mm db+shpnr | D2 | |
| | 420 | |
| 4p/hs | 440 | |
| | CrV | |
| Radius edge, 1p/h | D2 | M11075/125A |
| | | 108-1978SS ? |
| | | |
| 8p/hs | TC | |
| 2p/hs (not used) | 420 | 0206-184-20081 |
| 2p/hs (not used) | 440 | 0206-184-20081 |
| 2p/hs (not used) | 420 | 0209-184-20081 |
| 2p/hs (not used) | 440 | 0209-184-20081 |
| | 420 | |
| | 440 | |
| 4p/hs | 420 | (cb18210) |
| 3csk p/hs | 440 | 6192297S01 |
| 1p/h | 440 | |
| keyway | 420 | 281252 |
| 6xM5 | 440 | 79.915.3010.12 106527851 |
| 6xM5 | D2 | 79.915.3010.17 |

| | | |
|------------------------|-------|----------------------------------|
| 6xM5 | 440 | 79.915.3010.12 106527851 |
| 6xM5 | 440 | 79.915.3010.12a 106911333a101200 |
| 6xM5 | 440 | 106044646 |
| | 440 | T006257 |
| D-bore | 420 | |
| D-bore | 440 | |
| D-bore | 420 | |
| D-bore | 440 | |
| D-bore | 420 | |
| | 420 | |
| | 440 | |
| keyway | 420 | FB121484 |
| recess one side | 420 | (cb17842) |
| sq bore | 420 | |
| | 440 | |
| 40 scallop teeth | 440 | |
| 1p/h | 440 | 0990.IDC0.010.00 |
| | 440 | 0990.IDC0.036.00 |
| keyway | 440 | |
| | 52100 | |
| | M2 | |
| | S390 | |
| | 440 | 605881 |
| | 440 | |
| | 440 | 605881s |
| | 440 | 605881ss |
| 2phs,2phs | 440 | 501497/669290 |
| 2phs,2phs | 440 | 539843 |
| Radius edge, 1p/h | D2 | M11075/125B |
| 4x7mmx70pcd | 420 | |
| | 420 | |
| oval bore | 420 | 002359-00 |
| 6p/hs | D2 | |
| 2 flats on I/d | M2 | |
| 2 flats on I/d | M2 | |
| 2 flats on I/d | D2 | |
| 2 flats on I/d,Tin ctd | D2 | |
| | 440 | IF.05.000.004 |
| | 440 | |
| | D2 | |
| | D2 | |
| 2x 1/2 rnd k/ws | 440 | 94.01.0167 |
| 6p/hs | M2 | |
| keyway | 440 | |
| | 420 | |
| | 440 | |
| sq bore | 420 | 930 263-101 72344 |
| sq bore | 440 | 930 263-101 72344 |
| sq bore | 440 | 930 263-101 72344 |
| sq bore | 440 | |
| sq bore | 440 | 830 263 101 |
| | 440 | 982348/4112 |
| sq bore | 420 | 930 263-101 72344s |
| oval bore | 420 | 002358-00 |

| | | |
|-----------------------|----------|---------------------|
| oval bore | 420 | 002358-01 |
| oval bore | 420 | 002358-00s |
| oval bore | 440 | 002358-00s |
| 3xM5 | 440 | 79915301007 |
| 4p/hs | D2 | |
| 4p/hs | D2 | |
| 6p/hs | D2 | |
| 2p/hs,40 closed slot | CrV | 1023502 |
| 1p/h | 440 | |
| | 52100 | |
| | M2 | |
| | S390 | |
| 4p/hs,48 closed slot | CrV | 4001261295 |
| 6p/hs | D2 | |
| PTFE ctd,many p/hs | | 70699040 / 70799040 |
| | D2 | |
| | 420 | |
| | 440 | |
| 2p/hs,4p/hs | | |
| 3p/hs | | |
| | D2 | |
| 6p/hs | D2 | |
| 3p/hs PTFE ctd | | 94001000040s |
| 3p/hs PTFE ctd | Longlife | 94001000040 |
| | | 701237 |
| p/hs,hard chrome pltd | | 70505001 |
| | | |
| | | 70505008 |
| p/hs,Blue PTFE ctd | | 70505001 |
| F | | |
| 3p/hs | 420 | |
| 3p/hs | 440 | |
| 6p/hs | D2 | |
| 6p/hs | D2 | |
| 3p/hs | D2 | 6006526 |
| 6p/hs | D2 | |
| 8p/hs | D2 | |
| 4p/hs | D2 | |
| 7p/hs | 420 | B22572-T2 |
| 6p/hs | D2 | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 1991224Z201S |
| | | |
| U200 | C | |
| U200 | C | |
| | | |
| | | |
| | | |
| | | |

| | |
|---------------------------|-------------------|
| | 982715854 |
| | 982715854 |
| | |
| | |
| | |
| | |
| cutout 20.3x7mm | 30094 |
| | |
| | M2010 |
| | M2060 |
| | M2140 |
| | M2010 |
| | M2230 |
| | M2251 |
| | M2351.1 |
| | M4030 |
| | M6010 |
| | M6050 |
| | M6060 |
| | M6070 |
| | M6200 |
| | M7010 |
| | M7020 |
| | M7030 |
| | M7050 |
| | M7910 |
| | M7920 |
| | M7930 |
| | M9030 |
| | PG1503 |
| | PG4405 |
| | PG4412 |
| | PG7403 |
| | PG7503 |
| c/w 2x plain blades M2020 | PM1850 |
| c/w 2x serrated blades M | PM1850 |
| | PT0003 |
| | PT0006 |
| | PT0007 |
| | PT0052 |
| | PT0107 |
| | PT0114 |
| | PT0152 |
| | PT0166 |
| | PT0169 |
| | PT0171 |
| | PT0199.2 |
| | PT0201.6 (PT0196) |
| | PT0202 |
| | PT0216 |
| | PT0218 |
| | PT0219 |

| | | |
|--|--|------------|
| | | PT0243 |
| | | PT0288 |
| | | PT0291 |
| | | PT0293 |
| | | PT0394 |
| | | PT0400 |
| | | PT0465 |
| | | RO-080-MIL |
| | | SP1403 |
| | | GSA815S |
| | | RRC8 |
| | | RPGS810 |

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |

| | | | | |
|--|--|--|--|--|
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |
| | | | | |